

# Package ‘NetSimR’

October 12, 2022

**Type** Package

**Title** Actuarial Functions for Non-Life Insurance Modelling

**Version** 0.1.1

**Author** Yiannis Parizas [aut, cre]

**Maintainer** Yiannis Parizas <yiannis.parizas@gmail.com>

**Description** Assists actuaries and other insurance modellers in pricing, reserving and capital modelling for non-life insurance and reinsurance modelling. Provides functions that help model excess levels, capping and pure Incurred but not reported claims (pure IBNR).

Includes capped mean, exposure curves and increased limit factor curves (ILFs) for LogNormal, Gamma, Pareto, Sliced LogNormal-Pareto and Sliced Gamma-Pareto distributions. Includes mean, probability density function (pdf), cumulative probability function (cdf) and inverse cumulative probability function for Sliced LogNormal-Pareto and Sliced Gamma-Pareto distributions.

Includes calculating pure IBNR exposure with LogNormal and Gamma distribution for reporting delay.

**License** GPL-3

**Encoding** UTF-8

**Suggests** knitr, crch, testthat, rmarkdown

**VignetteBuilder** knitr

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2021-04-22 01:50:02 UTC

## R topics documented:

dSlicedGammaPareto . . . . . 2

dSlicedLNormPareto . . . . .	3
erf . . . . .	4
ExposureCurveGamma . . . . .	5
ExposureCurveLNorm . . . . .	5
ExposureCurvePareto . . . . .	6
ExposureCurveSlicedGammaPareto . . . . .	7
ExposureCurveSlicedLNormPareto . . . . .	8
GammaCappedMean . . . . .	8
IGamma . . . . .	9
ILFGamma . . . . .	10
ILFLNorm . . . . .	10
ILFPareto . . . . .	11
ILFSlicedGammaPareto . . . . .	12
ILFSlicedLNormPareto . . . . .	13
LNormCappedMean . . . . .	14
NetSimR . . . . .	14
ParetoCappedMean . . . . .	15
ParetoCappedMeanCalc . . . . .	16
pSlicedGammaPareto . . . . .	16
pSlicedLNormPareto . . . . .	17
PureIBNRGamma . . . . .	18
PureIBNRLNorm . . . . .	19
qSlicedGammaPareto . . . . .	20
qSlicedLNormPareto . . . . .	21
SlicedGammaParetoCappedMean . . . . .	22
SlicedGammaParetoMean . . . . .	23
SlicedLNormParetoCappedMean . . . . .	23
SlicedLNormParetoMean . . . . .	24
<b>Index</b>	<b>26</b>

---

dSlicedGammaPareto	<i>The probability density function (pdf) of a Sliced Gamma Pareto severity distribution</i>
--------------------	--

---

### Description

The probability density function (pdf) of a Sliced Gamma Pareto severity distribution

### Usage

dSlicedGammaPareto(x, GShape, GRate, SlicePoint, PShape)

**Arguments**

x	A positive real number - the claim amount where the probability density function (pdf) will be evaluated.
GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The value of the probability density function (pdf) at  $x$  with an attritional claim Gamma distribution with parameters `GShape` and `GRate` and a large claim Pareto distribution with parameters `SlicePoint` and `PShape`.

**Examples**

```
dSlicedGammaPareto(3000,1,0.0005,1000,1.2)
dSlicedGammaPareto(1000,1.1,0.0006,2000,1.6)
dSlicedGammaPareto(2000,1.2,0.0004,3000,1.4)
```

---

dSlicedLNormPareto	<i>The probability density function (pdf) of a Sliced LogNormal Pareto severity distribution</i>
--------------------	--

---

**Description**

The probability density function (pdf) of a Sliced LogNormal Pareto severity distribution

**Usage**

```
dSlicedLNormPareto(x, mu, sigma, SlicePoint, shape)
```

**Arguments**

x	A positive real number - the claim amount where the probability density function (pdf) will be evaluated.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.

SlicePoint	A positive real number - the slice point and the scale parameter of the Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

**Value**

The value of the probability density function (pdf) at  $x$  with an attritional claim LogNormal distribution with parameters  $\mu$  and  $\sigma$  and a large claim Pareto distribution with parameters SlicePoint and shape.

**Examples**

```
dSlicedLNormPareto(1200,6,1.5,1000,1.2)
dSlicedLNormPareto(4000,7,1.6,3000,1.4)
```

---

erf

*Error function*


---

**Description**

Error function

**Usage**

```
erf(x)
```

**Arguments**

$x$                     A real number.

**Value**

The value of the error function at  $x$ .

**Examples**

```
erf(0.1)
erf(0.5)
```

---

ExposureCurveGamma      *Exposure Curve from a Gamma severity distribution*

---

**Description**

Exposure Curve from a Gamma severity distribution

**Usage**

ExposureCurveGamma(x, shape, rate)

**Arguments**

x	A positive real number - the claim amount where the exposure curve will be evaluated.
shape	A positive real number - the shape parameter of the Claim Severity's Gamma distribution.
rate	A positive real number - the rate parameter of the Claim Severity's Gamma distribution.

**Value**

The value of the Exposure curve at x with Claim Severity from a Gamma distribution with parameters shape and rate.

**Examples**

```
ExposureCurveGamma(700, 1, 0.0005)
ExposureCurveGamma(1000, 1.5, 0.0006)
```

---

ExposureCurveLNorm      *Exposure Curve from LogNormal a severity distribution*

---

**Description**

Exposure Curve from LogNormal a severity distribution

**Usage**

ExposureCurveLNorm(x, mu, sigma)

**Arguments**

x	A positive real number - the claim amount where the exposure curve will be evaluated.
mu	A real number - the first parameter of the Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the Claim Severity's LogNormal distribution.

**Value**

The value of the Exposure curve at x with Claim Severity from a LogNormal distribution with parameters mu and sigma.

**Examples**

```
ExposureCurveLNorm(2000,6,1.5)
ExposureCurveLNorm(1000,5,1.6)
```

---

ExposureCurvePareto    *Exposure Curve from a Pareto severity distribution*

---

**Description**

Exposure Curve from a Pareto severity distribution

**Usage**

```
ExposureCurvePareto(x, scale, shape)
```

**Arguments**

x	A positive real number - the claim amount where the exposure curve will be evaluated.
scale	A positive real number - the scale parameter of the Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

**Value**

The value of the Exposure curve at x with Claim Severity from a Pareto distribution with parameters scale and shape.

**Examples**

```
ExposureCurvePareto(700,500,1.2)
ExposureCurvePareto(20000,200,1.1)
```

---

ExposureCurveSlicedGammaPareto

*Exposure Curve from a Sliced Gamma Pareto severity distribution*

---

### Description

Exposure Curve from a Sliced Gamma Pareto severity distribution

### Usage

ExposureCurveSlicedGammaPareto(x, GShape, GRate, SlicePoint, PShape)

### Arguments

x	A positive real number - the claim amount where the exposure curve will be evaluated.
GShape	A positive real number - the shape parameter of the Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

### Value

The value of the Exposure curve at x with an attritional claim Gamma distribution with parameters GShape and GRate and a large claim Pareto distribution with parameters SlicePoint and PShape.

### Examples

```
ExposureCurveSlicedGammaPareto(3000,1,0.0005,1000,1.2)
ExposureCurveSlicedGammaPareto(1000,1.1,0.0006,2000,1.6)
ExposureCurveSlicedGammaPareto(2000,1.2,0.0004,3000,1.4)
```

---

ExposureCurveSlicedLNormPareto

*Exposure Curve from a Sliced LogNormal Pareto severity distribution*

---

### Description

Exposure Curve from a Sliced LogNormal Pareto severity distribution

### Usage

ExposureCurveSlicedLNormPareto(x, mu, sigma, SlicePoint, shape)

### Arguments

x	A positive real number - the claim amount where the exposure curve will be evaluated.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

### Value

The value of the Exposure curve at x with an attritional claim LogNormal distribution with parameters mu and sigma and a large claim Pareto distribution with parameters SlicePoint and shape.

### Examples

```
ExposureCurveSlicedLNormPareto(1200,6,1.5,1000,1.2)
ExposureCurveSlicedLNormPareto(4000,7,1.6,3000,1.4)
```

---

GammaCappedMean

*Gamma capped mean*

---

### Description

Gamma capped mean

### Usage

GammaCappedMean(cap, shape, rate)

**Arguments**

cap	A positive real number - the claim severity cap.
shape	A positive real number - the shape parameter of the Claim Severity's Gamma distribution.
rate	A positive real number - the rate parameter of the Claim Severity's Gamma distribution.

**Value**

The mean of the claim severity capped at cap with a Gamma distribution with parameters shape and rate.

**Examples**

```
GammaCappedMean(700, 1, 0.0005)
GammaCappedMean(1000, 1.5, 0.0006)
```

---

 IGamma

*Lower incomplete gamma function*


---

**Description**

Lower incomplete gamma function

**Usage**

```
IGamma(a, x)
```

**Arguments**

a	A positive real number.
x	A positive real number.

**Value**

The value of the lower incomplete gamma function at x with shape parameter a.

**Examples**

```
IGamma(1, 1)
IGamma(0.1, 2)
```

---

 ILFGamma

*Increased Limit Factor Curve from a Gamma severity distribution*


---

**Description**

Increased Limit Factor Curve from a Gamma severity distribution

**Usage**

ILFGamma(xLow, xHigh, shape, rate)

**Arguments**

xLow	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated from.
xHigh	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated to.
shape	A positive real number - the shape parameter of the Claim Severity's Gamma distribution.
rate	A positive real number - the rate parameter of the Claim Severity's Gamma distribution.

**Value**

The value of the Increased Limit Factor curve from xLow to xHigh with Claim Severity from a Gamma distribution with parameters shape and rate.

**Examples**

```
ILFGamma(1000,700,1,0.0005)
ILFGamma(1200,1000,1.5,0.0006)
```

---

 ILFLNorm

*Increased Limit Factor Curve from a LogNormal severity distribution*


---

**Description**

Increased Limit Factor Curve from a LogNormal severity distribution

**Usage**

ILFLNorm(xLow, xHigh, mu, sigma)

**Arguments**

xLow	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated from.
xHigh	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated to.
mu	A real number - the first parameter of the Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the Claim Severity's LogNormal distribution.

**Value**

The value of the Increased Limit Factor curve from xLow to xHigh with Claim Severity from a LogNormal distribution with parameters mu and sigma.

**Examples**

```
ILFLNorm(1000,2000,6,1.5)
ILFLNorm(1000,1500,5,1.6)
```

---

ILFPareto

*Increased Limit Factor Curve from a Pareto severity distribution*


---

**Description**

Increased Limit Factor Curve from a Pareto severity distribution

**Usage**

```
ILFPareto(xLow, xHigh, scale, shape)
```

**Arguments**

xLow	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated from.
xHigh	A positive real number - the claim amount where the Increased Limit Factor Curve will be evaluated to.
scale	A positive real number - the scale parameter of the Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

**Value**

The value of the Increased Limit Factor curve from xLow to xHigh with Claim Severity from a Pareto distribution with parameters scale and shape.

**Examples**

```
ILFPareto(700,1200,500,1.2)
ILFPareto(1200,20000,200,1.1)
```

---

ILFSlicedGammaPareto    *Increased Limit Factor Curve from a Sliced Gamma Pareto severity distribution*

---

**Description**

Increased Limit Factor Curve from a Sliced Gamma Pareto severity distribution

**Usage**

```
ILFSlicedGammaPareto(xLow, xHigh, GShape, GRate, SlicePoint, PShape)
```

**Arguments**

xLow	A positive real number - the claim amount where the Limit Factor Curve will be evaluated from.
xHigh	A positive real number - the claim amount where the Limit Factor Curve will be evaluated to.
GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The value of the Increased Limit Factor curve from xLow to xHigh with an attritional claim Gamma distribution with parameters GShape and GRate and a large claim Pareto distribution with parameters SlicePoint and PShape.

**Examples**

```
ILFSlicedGammaPareto(2000,3000,1,0.0005,1000,1.2)
ILFSlicedGammaPareto(800,1000,1.1,0.0006,2000,1.6)
ILFSlicedGammaPareto(1200,2000,1.2,0.0004,3000,1.4)
```

---

ILFSlicedLNormPareto *Increased Limit Factor Curve from a Sliced LogNormal Pareto severity distribution*

---

### Description

Increased Limit Factor Curve from a Sliced LogNormal Pareto severity distribution

### Usage

ILFSlicedLNormPareto(xLow, xHigh, mu, sigma, SlicePoint, shape)

### Arguments

xLow	A positive real number - the claim amount where the Limit Factor Curve will be evaluated from.
xHigh	A positive real number - the claim amount where the Limit Factor Curve will be evaluated to.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

### Value

The value of the Increased Limit Factor curve from xLow to xHigh with an attritional claim LogNormal distribution with parameters mu and sigma and a large claim Pareto distribution with parameters SlicePoint and shape.

### Examples

```
ILFSlicedLNormPareto(800,1200,6,1.5,1000,1.2)
ILFSlicedLNormPareto(2000,4000,7,1.6,3000,1.4)
```

---

LNormCappedMean	<i>Lognormal capped mean</i>
-----------------	------------------------------

---

**Description**

Lognormal capped mean

**Usage**

```
LNormCappedMean(cap, mu, sigma)
```

**Arguments**

cap	A positive real number - the claim severity cap.
mu	A real number - the first parameter of the Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the Claim Severity's LogNormal distribution.

**Value**

The mean of the claim severity capped at cap with a LogNormal distribution with parameters mu and sigma.

**Examples**

```
LNormCappedMean(2000,6,1.5)
LNormCappedMean(1000,5,1.6)
```

---

NetSimR	<i>NetSimR: A non-life insurance package for computing various statistics.</i>
---------	--

---

**Description**

The NetSimR package provides three categories of functions:

1. Capped means, Exposure and ILF curve from various severity distributions
2. Pure IBNR and UPR earned periods
3. Sliced distributions

**NetSimR mean functions**

[SlicedGammaParetoMean](#) [SlicedLNormParetoMean](#)

**NetSimR capped mean functions**

[GammaCappedMean](#) [LNormCappedMean](#) [ParetoCappedMean](#) [SlicedGammaParetoCappedMean](#) [SlicedLNormParetoCappedMean](#)

**NetSimR exposure curve functions**

[ExposureCurveGamma](#) [ExposureCurveLNorm](#) [ExposureCurvePareto](#) [ExposureCurveSlicedGammaPareto](#)  
[ExposureCurveSlicedLNormPareto](#)

**NetSimR ILF curve functions**

[ILFGamma](#) [ILFLNorm](#) [ILFPareto](#) [ILFSlicedGammaPareto](#) [ILFSlicedLNormPareto](#)

**NetSimR pure IBNR functions**

[PureIBNRGamma](#) [PureIBNRLNorm](#)

**NetSimR Sliced distribution functions**

[dSlicedGammaPareto](#) [dSlicedLNormPareto](#) [pSlicedGammaPareto](#) [pSlicedLNormPareto](#) [qSlicedGammaPareto](#)  
[qSlicedLNormPareto](#)

---

ParetoCappedMean	<i>Pareto capped mean</i>
------------------	---------------------------

---

**Description**

Pareto capped mean

**Usage**

`ParetoCappedMean(cap, scale, shape)`

**Arguments**

cap	A positive real number - the claim severity cap.
scale	A positive real number - the scale parameter of the Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

**Value**

The mean of the claim severity capped at cap with a Pareto distribution with parameters scale and shape.

**Examples**

```
ParetoCappedMean(600,200,1.2)
ParetoCappedMean(800,100,1)
ParetoCappedMean(1000,500,0.8)
```

---

ParetoCappedMeanCalc *Pareto capped mean intermediary calculation*

---

**Description**

Pareto capped mean intermediary calculation

**Usage**

```
ParetoCappedMeanCalc(cap, scale, shape)
```

**Arguments**

cap	A positive real number - the claim severity cap.
scale	A positive real number - the scale parameter of the Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the Claim Severity's Pareto distribution.

**Value**

An interim calculation for the mean of the claim severity capped at cap with a Pareto distribution with parameters scale and shape.

**Examples**

```
ParetoCappedMeanCalc(800,100,1.1)
ParetoCappedMeanCalc(1000,500,0.9)
```

---

pSlicedGammaPareto *The cumulative density function (cdf) of a Sliced Gamma-Pareto severity distribution*

---

**Description**

The cumulative density function (cdf) of a Sliced Gamma-Pareto severity distribution

**Usage**

```
pSlicedGammaPareto(x, GShape, GRate, SlicePoint, PShape)
```

**Arguments**

x	A positive real number - the claim amount where the cumulative density function (cdf) will be evaluated.
GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The value of the cumulative density function (cdf) at  $x$  with an attritional claim Gamma distribution with parameters `GShape` and `GRate` and a large claim Pareto distribution with parameters `SlicePoint` and `PShape`.

**Examples**

```
pSlicedGammaPareto(3000,1,0.0005,1000,1.2)
pSlicedGammaPareto(1000,1.1,0.0006,2000,1.6)
pSlicedGammaPareto(2000,1.2,0.0004,3000,1.4)
```

---

pSlicedLNormPareto	<i>The cumulative density function (cdf) of a Sliced LogNormal Pareto severity distribution</i>
--------------------	---

---

**Description**

The cumulative density function (cdf) of a Sliced LogNormal Pareto severity distribution

**Usage**

```
pSlicedLNormPareto(x, mu, sigma, SlicePoint, shape)
```

**Arguments**

x	A positive real number - the claim amount where the cumulative density function (cdf) will be evaluated.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.

SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The value of the cumulative density function (cdf) at  $x$  with an attritional claim LogNormal distribution with parameters  $\mu$  and  $\sigma$  and a large claim Pareto distribution with parameters SlicePoint and shape.

**Examples**

```
pSlicedLNormPareto(1200,6,1.5,1000,1.2)
pSlicedLNormPareto(4000,7,1.6,3000,1.4)
```

---

 PureIBNRGamma

*Pure IBNR exposure from a Gamma reporting delay distribution*


---

**Description**

Pure IBNR exposure from a Gamma reporting delay distribution

**Usage**

```
PureIBNRGamma(IncDate, ExpDate, ValDate, shape, rate)
```

**Arguments**

IncDate	A date - the inception date of the period.
ExpDate	A date - the expiry date of the period. Must be greater than inception date.
ValDate	A date - the valuation date.
shape	A positive real number - the shape parameter of the reporting delay's Gamma distribution.
rate	A positive real number - the rate parameter of the reporting delay's Gamma distribution.

**Value**

Unearned and Pure IBNR exposure in days and as a percentage of the period's duration, where the reporting delay has a Gamma distribution with parameters shape and rate.

**Examples**

```
Dates = data.frame(
  inceptionDate = c("01/01/2006", "01/07/2006", "01/01/2007")
  ,expiryDate = c("31/12/2006", "30/06/2007", "31/12/2007")
)

Dates$inceptionDate<-as.POSIXct(Dates$inceptionDate, format="%d/%m/%Y")

Dates$expiryDate<-as.POSIXct(Dates$expiryDate, format="%d/%m/%Y")

ValuationDate<-as.POSIXct("30/10/2007", format="%d/%m/%Y")

PureIBNRGamma(Dates$inceptionDate,Dates$expiryDate,ValuationDate,7,0.15)
```

---

 PureIBNRLNorm

*Pure IBNR exposure from a LogNormal reporting delay distribution*


---

**Description**

Pure IBNR exposure from a LogNormal reporting delay distribution

**Usage**

```
PureIBNRLNorm(IncDate, ExpDate, ValDate, mu, sigma)
```

**Arguments**

IncDate	A date - the inception date of the period.
ExpDate	A date - the expiry date of the period. Must be greater than inception date.
ValDate	A date - the valuation date.
mu	A real number - the first parameter of the reporting delay's LogNormal distribution.
sigma	A positive real number - the second parameter of the reporting delay's LogNormal distribution.

**Value**

Unearned and Pure IBNR exposure in days and as a percentage of the period's duration, where the reporting delay has a LogNormal distribution with parameters mu and sigma.

**Examples**

```
Dates = data.frame(
  inceptionDate = c("01/01/2006", "01/07/2006", "01/01/2007")
  ,expiryDate = c("31/12/2006", "30/06/2007", "31/12/2007")
)
```

```
Dates$inceptionDate<-as.POSIXct(Dates$inceptionDate, format="%d/%m/%Y")
Dates$expiryDate<-as.POSIXct(Dates$expiryDate, format="%d/%m/%Y")
ValuationDate<-as.POSIXct("30/10/2007", format="%d/%m/%Y")
PureIBNRLNorm(Dates$inceptionDate,Dates$expiryDate,ValuationDate,4,1.5)
```

---

qSlicedGammaPareto	<i>The inverse cumulative density function of a Sliced Gamma Pareto severity distribution</i>
--------------------	---

---

### Description

The inverse cumulative density function of a Sliced Gamma Pareto severity distribution

### Usage

```
qSlicedGammaPareto(q, GShape, GRate, SlicePoint, PShape)
```

### Arguments

q	A real number between 0 and 1 - the probability where the inverse cumulative density function will be evaluated.
GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

### Value

The value of the inverse cumulative density function at q with an attritional claim Gamma distribution with parameters GShape and GRate and a large claim Pareto distribution with parameters SlicePoint and PShape.

### Examples

```
qSlicedGammaPareto(0.5,1,0.0005,1000,1.2)
qSlicedGammaPareto(0.2,1.1,0.0006,2000,1.6)
qSlicedGammaPareto(0.8,1.2,0.0004,3000,1.4)
```

---

qSlicedLNormPareto	<i>The inverse cumulative density function of a Sliced LogNormal Pareto severity distribution</i>
--------------------	---

---

### Description

The inverse cumulative density function of a Sliced LogNormal Pareto severity distribution

### Usage

```
qSlicedLNormPareto(q, mu, sigma, SlicePoint, shape)
```

### Arguments

q	A real number between 0 and 1 - the probability where the inverse cumulative density function will be evaluated.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

### Value

The value of the inverse cumulative density function at q with an attritional claim LogNormal distribution with parameters mu and sigma and a large claim Pareto distribution with parameters SlicePoint and shape.

### Examples

```
qSlicedLNormPareto(0.5,6,1.5,1000,1.2)  
qSlicedLNormPareto(0.7,7,1.6,3000,1.4)
```

---

SlicedGammaParetoCappedMean

*Sliced Gamma Pareto capped mean*

---

### Description

Sliced Gamma Pareto capped mean

### Usage

SlicedGammaParetoCappedMean(cap, GShape, GRate, SlicePoint, PShape)

### Arguments

cap	A positive real number - the claim severity cap.
GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

### Value

The mean of the claim severity capped at cap with an attritional claim Gamma distribution with parameters GShape and GRate and a large claim Pareto distribution with parameters SlicePoint and PShape.

### Examples

```
SlicedGammaParetoCappedMean(3000,1,0.0005,1000,1.2)
SlicedGammaParetoCappedMean(1000,1.1,0.0006,2000,1.6)
SlicedGammaParetoCappedMean(2000,1.2,0.0004,3000,1.4)
```

---

SlicedGammaParetoMean *Sliced Gamma Pareto mean*

---

**Description**

Sliced Gamma Pareto mean

**Usage**

SlicedGammaParetoMean(GShape, GRate, SlicePoint, PShape)

**Arguments**

GShape	A positive real number - the shape parameter of the attritional Claim Severity's Gamma distribution.
GRate	A positive real number - the rate parameter of the attritional Claim Severity's Gamma distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
PShape	A positive real number - the Shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The mean of the claim severity with an attritional claim Gamma distribution with parameters GShape and GRate and a large claim Pareto distribution with parameters SlicePoint and PShape.

**Examples**

```
SlicedGammaParetoMean(1,0.0005,1000,1.2)
SlicedGammaParetoMean(1.1,0.0006,2000,1.6)
SlicedGammaParetoMean(1.2,0.0004,3000,1.4)
```

---

SlicedLNormParetoCappedMean  
*Sliced LogNormal Pareto capped mean*

---

**Description**

Sliced LogNormal Pareto capped mean

**Usage**

SlicedLNormParetoCappedMean(cap, mu, sigma, SlicePoint, shape)

**Arguments**

cap	A positive real number - the claim severity cap.
mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The mean of the claim severity capped at cap with an attritional claim LogNormal distribution with parameters mu and sigma and a large claim Pareto distribution with parameters SlicePoint and shape.

**Examples**

```
SlicedLNormParetoCappedMean(1200, 6, 1.5, 1000, 1.2)
SlicedLNormParetoCappedMean(2500, 6.5, 1.4, 2000, 1.6)
SlicedLNormParetoCappedMean(4000, 7, 1.6, 3000, 1.4)
```

---

SlicedLNormParetoMean *Sliced LogNormal Pareto mean*

---

**Description**

Sliced LogNormal Pareto mean

**Usage**

```
SlicedLNormParetoMean(mu, sigma, SlicePoint, shape)
```

**Arguments**

mu	A real number - the first parameter of the attritional Claim Severity's LogNormal distribution.
sigma	A positive real number - the second parameter of the attritional Claim Severity's LogNormal distribution.
SlicePoint	A positive real number - the slice point and the scale parameter of the tail Claim Severity's Pareto distribution.
shape	A positive real number - the shape parameter of the tail Claim Severity's Pareto distribution.

**Value**

The mean of the claim severity with an attritional claim LogNormal distribution with parameters  $\mu$  and  $\sigma$  and a large claim Pareto distribution with parameters *SlicePoint* and *shape*.

**Examples**

```
SlicedLNormParetoMean(6,1.5,1000,1.2)  
SlicedLNormParetoMean(6.5,1.4,2000,1.6)  
SlicedLNormParetoMean(7,1.6,3000,1.4)
```

# Index

dSlicedGammaPareto, [2](#), [15](#)  
dSlicedLNormPareto, [3](#), [15](#)

erf, [4](#)  
ExposureCurveGamma, [5](#), [15](#)  
ExposureCurveLNorm, [5](#), [15](#)  
ExposureCurvePareto, [6](#), [15](#)  
ExposureCurveSlicedGammaPareto, [7](#), [15](#)  
ExposureCurveSlicedLNormPareto, [8](#), [15](#)

GammaCappedMean, [8](#), [15](#)

IGamma, [9](#)  
ILFGamma, [10](#), [15](#)  
ILFLNorm, [10](#), [15](#)  
ILFPareto, [11](#), [15](#)  
ILFSlicedGammaPareto, [12](#), [15](#)  
ILFSlicedLNormPareto, [13](#), [15](#)

LNormCappedMean, [14](#), [15](#)

NetSimR, [14](#)

ParetoCappedMean, [15](#), [15](#)  
ParetoCappedMeanCalc, [16](#)  
pSlicedGammaPareto, [15](#), [16](#)  
pSlicedLNormPareto, [15](#), [17](#)  
PureIBNRGamma, [15](#), [18](#)  
PureIBNRLNorm, [15](#), [19](#)

qSlicedGammaPareto, [15](#), [20](#)  
qSlicedLNormPareto, [15](#), [21](#)

SlicedGammaParetoCappedMean, [15](#), [22](#)  
SlicedGammaParetoMean, [14](#), [23](#)  
SlicedLNormParetoCappedMean, [15](#), [23](#)  
SlicedLNormParetoMean, [14](#), [24](#)