

Package ‘fitzRoy’

March 16, 2021

Title Easily Scrape and Process AFL Data

Version 1.0.0

Description An easy package for scraping and processing Australia Rules Football (AFL) data. 'fitzRoy' provides a range of functions for accessing publicly available data from 'AFL Tables' <https://afltables.com/afl/afl_index.html>, 'Footy Wire' <<https://www.footywire.com>> and 'The Squiggle' <<https://squiggle.com.au>>. Further functions allow for easy processing, cleaning and transformation of this data into formats that can be used for analysis.

License GPL-3

URL <https://jimmyday12.github.io/fitzRoy/>,
<https://github.com/jimmyday12/fitzRoy>

BugReports <https://github.com/jimmyday12/fitzRoy/issues>

Depends R (>= 3.5)

Imports dplyr, httr, jsonlite, lubridate, magrittr, purrr, readr,
rlang (>= 0.1.2), rvest, stringr (>= 1.3.0), tidyr (>= 1.0.0),
tidyselect, xml2, tibble, progress, glue, cli

Suggests covr, ggplot2, knitr, rmarkdown, testthat, roxygen2, elo,
spelling, curl

VignetteBuilder knitr

ByteCompile true

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Language en-GB

Config/testthat/edition 3

Config/testthat/parallel true

Config/testthat/start-first fetch-player-stats,
fetch-player-stats-legacy, fetch*

NeedsCompilation no

Author James Day [cre, aut],
 Robert Nguyen [aut],
 Matthew Erbs [ctb],
 Oscar Lane [aut],
 Jason Zivkovic [ctb]

Maintainer James Day <jamesthomasday@gmail.com>

Repository CRAN

Date/Publication 2021-03-16 05:30:03 UTC

R topics documented:

fetch_betting_odds_footywire	3
fetch_fixture	4
fetch_ladder	5
fetch_lineup	7
fetch_player_stats	8
fetch_results	10
fetch_squiggle_data	12
get_aftables_stats	13
get_aflw_cookie	14
get_aflw_detailed_data	15
get_aflw_detailed_match_data	15
get_aflw_match_data	16
get_aflw_player_stats	17
get_aflw_rounds	18
get_aflw_round_data	18
get_afl_colour_palettes	19
get_afl_cookie	19
get_afl_fixture	20
get_fixture	20
get_footywire_betting_odds	21
get_footywire_match_results	22
get_footywire_stats	23
get_fryzigg_stats	23
get_match_results	24
get_score_progression_raw	25
get_squiggle_data	25
replace_teams	27
replace_venues	27
return_ladder	28
update_footywire_stats	29

Index

30

`fetch_betting_odds_footywire`*Fetch AFL match betting odds from <https://www.footywire.com>*

Description

`fetch_betting_odds_footywire` returns a data frame containing betting odds and basic match info for Men's AFL matches.

Usage

```
fetch_betting_odds_footywire(  
  start_season = "2010",  
  end_season = lubridate::year(Sys.Date())  
)
```

Arguments

`start_season` First season to return, in yyyy format. Earliest season with data available is 2010.

`end_season` Last season to return, in yyyy format

Details

The data frame contains the home and away team as well as venue.

Value

Returns a data frame containing betting odds and basic match info

Examples

```
## Not run:  
fetch_betting_odds_footywire(2012, 2018)  
  
## End(Not run)
```

fetch_fixture	<i>Return the fixture for a particular round of matches</i>
---------------	---

Description

fetch_fixture returns the Fixture for a given AFL Round. Internally, it calls a corresponding fetch_fixture_* function that depends on the source given. By default the source used will be the official AFL website.

[fetch_fixture_afl\(\)](#), [fetch_fixture_footywire\(\)](#), [fetch_fixture_squiggle\(\)](#) can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

Usage

```
fetch_fixture(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)
```

```
fetch_fixture_afl(season = NULL, round_number = NULL, comp = "AFLM")
```

```
fetch_fixture_footywire(
  season = NULL,
  round_number = NULL,
  convert_date = FALSE
)
```

```
fetch_fixture_squiggle(season = NULL, round_number = NULL)
```

Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default) or "AFLW"
source	One of "AFL" (default), "footywire", "fryzigg", "aftables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
convert_date	logical, if TRUE, converts date column to date format instead of date time.

Value

A Tibble with the fixture from the relevant season and round.

See Also

- [fetch_fixture_afl](#) for official AFL data.
- [fetch_fixture_footywire](#) for AFL Tables data.
- [fetch_fixture_squiggle](#) for Squiggle data.

Other fetch fixture functions: [fetch_player_stats\(\)](#)

Examples

```
## Not run:
# Return data for whole season from AFL Website
fetch_fixture(2020)

# This is equivalent to
fetch_fixture(2020, source = "AFL")
fetch_fixture_afl(2020)

# Return AFLW data
fetch_fixture(2020, comp = "AFLW", source = "AFL")
fetch_fixture_afl(2020, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_fixture(2020, comp = "AFLW", source = "footywire")
fetch_fixture(2020, comp = "AFLW", source = "squiggle")

# Different sources
fetch_fixture(2015, round = 5, source = "footywire")
fetch_fixture(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_fixture_afl(2018, round = 9)
fetch_fixture_footywire(2018, round = 9)
fetch_fixture_squiggle(2018, round = 9)

## End(Not run)
```

 fetch_ladder

Fetch Ladder

Description

`fetch_ladder` returns the Ladder for a given AFL Round. Internally, it calls a corresponding `fetch_ladder_*` function that depends on the source given. By default the source used will be the official AFL website.

[fetch_ladder_afl\(\)](#), [fetch_ladder_afltables\(\)](#), [fetch_ladder_squiggle\(\)](#) can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

Usage

```

fetch_ladder(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_ladder_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_ladder_afltables(
  season = NULL,
  round_number = NULL,
  match_results_df = NULL
)

fetch_ladder_squiggle(season = NULL, round_number = NULL)

```

Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default) or "AFLW"
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
match_results_df	(optional) A dataframe from fetch_results_afltables() , provide this to prevent having to download results again.

Value

A Tibble with the ladder from the relevant season and round.

See Also

- [fetch_ladder_afl](#) for official AFL data.
- [fetch_ladder_afltables](#) for AFL Tables data.
- [fetch_ladder_squiggle](#) for Squiggle data.

Examples

```

## Not run:
# Return data from AFL Website
fetch_ladder(2020, round = 1)

```

```
# This is equivalent to
fetch_ladder(2020, round = 1, source = "AFL")
fetch_ladder_afl(2020, round = 1)

# Return AFLW data
fetch_ladder(2020, round = 1, comp = "AFLW", source = "AFL")
fetch_ladder_afl(2020, round = 1, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_ladder(2020, round = 1, comp = "AFLW", source = "afltables")
fetch_ladder(2020, round = 1, comp = "AFLW", source = "squiggle")

# Different sources
fetch_ladder(2015, round = 5, source = "afltables")
fetch_ladder(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_ladder_afl(2018, round = 9)
fetch_ladder_afltables(2018, round = 9)
fetch_ladder_squiggle(2018, round = 9)

## End(Not run)
```

fetch_lineup

Return the selected lineup for any completed or upcoming matches

Description

fetch_lineup returns the Lineup for matches in given AFL Round. Internally, it calls a corresponding fetch_lineup_* function that depends on the source given. By default the source used will be the official AFL website.

[fetch_lineup_afl\(\)](#) can be called directly and return data from AFL website.

Usage

```
fetch_lineup(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_lineup_afl(season = NULL, round_number = NULL, comp = "AFLM")
```

Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default) or "AFLW"
source	One of "AFL" (default), "footywire", "fryzigg", "aftables", "squiggle"
...	Optional parameters passed onto various functions depending on source.

Value

A Tibble with the lineup from the relevant season and round.

See Also

- [fetch_lineup_afl](#) for official AFL data.

Examples

```
## Not run:
# Return data for whole season from AFL Website
fetch_lineup(2020)

# This is equivalent to
fetch_lineup(2020, source = "AFL")
fetch_lineup_afl(2020)

# Return AFLW data
fetch_lineup(2020, comp = "AFLW", source = "AFL")
fetch_lineup_afl(2020, comp = "AFLW")

# Not all sources have lineup data and will return a warning
fetch_lineup(2020, source = "footywire")
fetch_lineup(2020, source = "squiggle")

# Directly call functions for each source
fetch_lineup_afl(2018, round = 9)

## End(Not run)
```


Description

fetch_player_stats returns the Individual Player Statistics for AFL games. Internally, it calls a corresponding fetch_player_stats_* function that depends on the source given. By default the source used will be the official AFL website.

fetch_player_stats_footywire(), fetch_player_stats_afltables(), fetch_player_stats_fryzigg() can be called directly and return data from AFL website, AFL Tables and Squiggle, respectively.

Usage

```
fetch_player_stats(
  season = NULL,
  round_number = NULL,
  comp = "AFLM",
  source = "AFL",
  ...
)

fetch_player_stats_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_player_stats_afltables(season = NULL, round_number = NULL)

fetch_player_stats_fryzigg(season = NULL, round_number = NULL, comp = "AFLM")

fetch_player_stats_footywire(
  season = NULL,
  round_number = NULL,
  check_existing = TRUE
)
```

Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default) or "AFLW"
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
check_existing	logical, should we check existing data. This will likely be removed in future version as it takes a long time to re-scrape data

Value

A Tibble with the player stats from the relevant season and round.

See Also

- [fetch_player_stats_footywire](#) for Footywire data.
- [fetch_player_stats_afltables](#) for AFL Tables data.
- [fetch_player_stats_fryzigg](#) for Fryzigg data.

Other fetch fixture functions: [fetch_fixture\(\)](#)

Examples

```
## Not run:
# Return data for whole season from footywire
fetch_player_stats(source = "footywire")

# This is equivalent to
fetch_player_stats_footywire()

# Currently there is no AFLW data and will return a warning
fetch_player_stats(2020, comp = "AFLW", source = "footywire")

# Different sources
fetch_player_stats(2015, round = 5, source = "footywire")
fetch_player_stats(2015, round = 5, source = "fryzigg")

# Directly call functions for each source
fetch_player_stats_afltables(2020)
fetch_fixture_fryzigg(2020)
fetch_player_stats_footywire(2020)

## End(Not run)
```

 fetch_results

Fetch Results

Description

`fetch_results` returns the results for a given AFL Round. Internally, it calls a corresponding `fetch_results_*` function that depends on the source given. By default the source used will be the official AFL website.

[fetch_results_afl\(\)](#), [fetch_results_afltables\(\)](#), [fetch_results_footywire\(\)](#), [fetch_results_squiggle\(\)](#) can be called directly and return data from AFL website, AFL Tables, Footywire and Squiggle, respectively.

Usage

```
fetch_results(
  season = NULL,
  round_number = NULL,
```

```

    comp = "AFLM",
    source = "AFL",
    ...
)

fetch_results_afl(season = NULL, round_number = NULL, comp = "AFLM")

fetch_results_afltables(season = NULL, round_number = NULL)

fetch_results_footywire(
  season = NULL,
  round_number = NULL,
  last_n_matches = NULL
)

fetch_results_squiggle(season = NULL, round_number = NULL)

```

Arguments

season	Season in YYYY format, defaults to NULL which returns the year corresponding the Sys.Date()
round_number	Round number, defaults to NULL which returns latest round
comp	One of "AFLM" (default) or "AFLW"
source	One of "AFL" (default), "footywire", "fryzigg", "afltables", "squiggle"
...	Optional parameters passed onto various functions depending on source.
last_n_matches	number of matches to return, starting from the most recent

Value

A Tibble with the results from the relevant season and round.

See Also

- [fetch_results_afl](#) for official AFL data.
- [fetch_results_afltables](#) for AFL Tables data.
- [fetch_results_footywire](#) for Footywire data.
- [fetch_results_squiggle](#) for Squiggle data.

Examples

```

## Not run:
# Return data for whole season from AFL Website
fetch_results(2020)

# This is equivalent to
fetch_results(2020, source = "AFL")
fetch_results_afl(2020)

```

```

# Return AFLW data
fetch_results(2020, comp = "AFLW", source = "AFL")
fetch_results_afl(2020, comp = "AFLW")

# Not all sources have AFLW data and will return a warning
fetch_results(2020, comp = "AFLW", source = "footywire")
fetch_results(2020, comp = "AFLW", source = "afltables")
fetch_results(2020, comp = "AFLW", source = "squiggle")

# Different sources
fetch_results(2015, round = 5, source = "footywire")
fetch_results(2015, round = 5, source = "afltables")
fetch_results(2015, round = 5, source = "squiggle")

# Directly call functions for each source
fetch_results_afl(2018, round = 9)
fetch_results_footywire(2018, round = 9)
fetch_results_afltables(2018, round = 9)
fetch_results_squiggle(2018, round = 9)

## End(Not run)

```

fetch_squiggle_data *Access Squiggle data using the squiggle API service.*

Description

Use `fetch_squiggle_data` to access the [Squiggle API](https://api.squiggle.com.au). See instructions at api.squiggle.com.au.

Usage

```

fetch_squiggle_data(
  query = c("teams", "sources", "games", "tips", "ladder", "standings", "virtual",
            "pav"),
  ...
)

```

Arguments

query	A text string. The main query to use with the API. Must be one of sources, games, tips, ladder or standings
...	(optional) An optional argument provided to the Squiggle API . See details for more info.

Details

The optional arguments to squiggle can be one of the following.

#'

- year: an integer specifying the year to return data from, e.g. year = 2018
- round: an integer specifying the round to return data from, e.g. round = 12
- game: an integer specifying the game ID to return data from, e.g. game = 10
- source: an integer specifying the ID of the source to return data from, e.g. source = 1

For full instructions, see api.squiggle.com.au

Value

A dataframe, with the resultant data that matches the query specified in query, as well as any optional filters.

Examples

```
## Not run:
# Return a list of the sources, with ID's
sources <- get_squiggle_data("sources")

# Get tips for Round 1, 2018
tips <- get_squiggle_data(query = "tips", round = 1, year = 2018)

# Get tips from Squiggle 2019
squiggle <- get_squiggle_data(query = "tips", source = 1, year = 2019)

## End(Not run)
```

get afltables_stats *Return afltables match stats*

Description

get afltables_stats returns a data frame containing match stats for each game within the specified date range

Usage

```
get afltables_stats(start_date = "1897-01-01", end_date = Sys.Date())
```

Arguments

start_date	character string for start date return to URLs from, in "dmy" or "ymd" format
end_date	optional, character string for end date to return URLs, in "dmy" or "ymd" format

Details

This function returns a data frame containing match stats for each game within the specified date range. The data from contains all stats on afltables match pages and returns 1 row per player.

The data for this function is hosted on github to avoid extensive scraping of historical data from afltables.com. This will be updated regularly.

Value

a data table containing player stats for each game between start date and end date

Examples

```
#  
## Not run:  
# Gets all data  
get_afltables_stats()  
# Specify a date range  
get_afltables_stats("01/01/2018", end_date = "01/04/2018")  
  
## End(Not run)
```

get_aflw_cookie

Get AFL Stats cookie (internal function)

Description

Gets a cookie from <http://www.afl.com.au/womens/matches/stats> to authenticate further requests.

Usage

```
get_aflw_cookie()
```

Value

token code

Examples

```
## Not run:  
cookie <- get_aflw_cookie()  
  
## End(Not run)
```

```
get_aflw_detailed_data
```

Get detailed AFLW data

Description

Get detailed AFLW data

Usage

```
get_aflw_detailed_data(matchids)
```

Arguments

matchids vector of match IDs, like those returned by get_aflw_match_data()

Value

Dataframe with detailed match data. Each row is a match.

Examples

```
## Not run:
get_aflw_detailed_data(c("CD_M20172640101", "CD_M20172640102"))

## End(Not run)
```

```
get_aflw_detailed_match_data
```

Get detailed womens match data (internal function)

Description

Gets detailed match data for a given match. Requires the match, round, and competition IDs, which are given in the tables produced by get_aflw_round_data()

Usage

```
get_aflw_detailed_match_data(matchid, roundid, competitionid, cookie)
```

Arguments

matchid matchid from get_match_data()
roundid roundid from get_match_data()
competitionid competitionid from get_match_data()
cookie cookie from get_womens_cookie()

Value

Dataframe with detailed match data (wide)

Examples

```
## Not run:
get_aflw_detailed_match_data(
  "CD_M20172640101",
  "CD_R201726401", "CD_S2017264", get_aflw_cookie()
)

## End(Not run)
```

get_aflw_match_data *Get AFLW match data*

Description

Retrieves AFLW match data for all available matches. Sources data from <https://womens.afl/>

Usage

```
get_aflw_match_data(start_year = 2017)
```

Arguments

start_year optional, integer for start year to return match data onwards from

Value

a data frame of data for all available AFLW matches

Examples

```
## Not run:
# All data
get_aflw_match_data()

# 2018 data onward
get_aflw_match_data(start_year = 2018)

## End(Not run)
```

get_aflw_player_stats *Return get match stats for all current AFLW matches*

Description

get_aflw_player_stats returns a data frame containing match stats for each game within the specified date range

Usage

```
get_aflw_player_stats(  
  start = 2017,  
  end = as.numeric(format(Sys.Date(), "%Y"))  
)
```

Arguments

start	optional, character string or numeric for start year, in "YYYY" format
end	optional, character string or numeric for end year, in "YYYY"format

Details

This function returns a data frame containing match stats for each game within the specified date range. Returns 1 row per player.

The date for this function is called from an API with data stored in a PostgreSQL database on AWS. Updated at the conclusion of every game. A cached version to come.

Value

a data table containing player stats for each game between start and end years

Examples

```
#  
## Not run:  
# Gets all data  
get_aflw_player_stats()  
# Specify a date range  
get_aflw_player_stats(start = 2018, end = 2019)  
  
## End(Not run)
```

get_aflw_rounds	<i>Get rounds (internal function)</i>
-----------------	---------------------------------------

Description

Returns data frame for available round data. Includes the rounds played, as well as identifiers to make further requests, importantly the roundId.

Usage

```
get_aflw_rounds(cookie)
```

Arguments

cookie a cookie produced by get_aflw_cookie()

Value

A dataframe with information about each round

Examples

```
## Not run:  
get_aflw_rounds(get_aflw_cookie())  
  
## End(Not run)
```

get_aflw_round_data	<i>Get match data (internal function)</i>
---------------------	---

Description

For a given round ID, get the data for each match played in that round. Use the column roundId in the dataframe created by the get_rounds() function to specify matches to fetch.

Usage

```
get_aflw_round_data(roundid, cookie)
```

Arguments

roundid a round ID string
cookie a cookie produced by get_womens_cookie()

Value

a dataframe containing match data

Examples

```
## Not run:  
get_aflw_round_data("CD_R201826401", get_aflw_cookie())  
  
## End(Not run)
```

get_afl_colour_palettes

Returns a table with the colour palettes for all teams

Description

get_afl_colour_palettes returns a data frame containing the AFL team's primary, secondary and tertiary colours as applicable. The data for this function is hosted on github.

Usage

```
get_afl_colour_palettes()
```

Value

a data table containing team long name, team abbreviation, and colours

Examples

```
## Not run:  
# Gets all data  
get_afl_colour_palettes()  
  
## End(Not run)
```

get_afl_cookie

Get AFL Stats cookie (internal function)

Description

Gets a cookie from <http://www.afl.com.au/> to authenticate further requests.

Usage

```
get_afl_cookie()
```

Value

token code

Examples

```
## Not run:
cookie <- get_afl_cookie()

## End(Not run)
```

get_afl_fixture	<i>Get AFL fixture</i>
-----------------	------------------------

Description

Returns the Fixture for the relevant Season and Round from the AFL.com.au website.

Usage

```
get_afl_fixture(season = NULL, round_number = NULL, comp = "AFLM")
```

Arguments

season	season in YYYY format
round_number	round number
comp	One of "AFLM" or "AFLW"

Value

returns a dataframe with the fixture that matches season, round.

Examples

```
## Not run:
get_afl_fixture(2020, round = 1)

## End(Not run)
```

get_fixture	<i>Get upcoming fixture from https://www.footywire.com</i>
-------------	--

Description

get_fixture returns a dataframe containing upcoming AFL Men's season fixture.

Usage

```
get_fixture(season = lubridate::year(Sys.Date()), convert_date = FALSE)
```

Arguments

`season` Season to return, in yyyy format
`convert_date` logical, if TRUE, converts date column to date format instead of date time.

Details

The dataframe contains the home and away team as well as venue.

Value

Returns a data frame containing the date, teams and venue of each game

Examples

```
## Not run:  
get_fixture(2018)  
  
## End(Not run)
```

`get_footywire_betting_odds`

Get AFL match betting odds from <https://www.footywire.com>

Description

`get_footywire_betting_odds` returns a data frame containing betting odds and basic match info for Men's AFL matches.

Usage

```
get_footywire_betting_odds(  
  start_season = "2010",  
  end_season = lubridate::year(Sys.Date())  
)
```

Arguments

`start_season` First season to return, in yyyy format. Earliest season with data available is 2010.
`end_season` Last season to return, in yyyy format

Details

The data frame contains the home and away team as well as venue.

Value

Returns a data frame containing betting odds and basic match info

Examples

```
## Not run:  
get_footywire_betting_odds(2012, 2018)  
  
## End(Not run)
```

```
get_footywire_match_results  
      Get footywire Match Results
```

Description

Returns the results of matches played in a particular season. You can limit how many results you return with the `last_n_results` parameter.

Usage

```
get_footywire_match_results(season, last_n_matches = NULL)
```

Arguments

`season` season to return results for
`last_n_matches` number of matches to return, starting from the most recent

Details

For example - you might just want to return the results from last round so you'd set `last_n_results = 9`.

If you want to return a large amount of results, it is more efficient to use `get_match_results()` however this can sometimes take some time to update the latest rounds results.

Value

Returns a data frame of match results from the year and number of results

Examples

```
## Not run:  
get_footywire_match_results(2020, last_n_matches = 5)  
  
## End(Not run)
```

get_footywire_stats *Scrape footywire player statistics.*

Description

get_footywire_stats returns a dataframe containing player match stats from footywire from 2010 onwards.

Usage

```
get_footywire_stats(ids)
```

Arguments

ids A vector containing match id's to return. Can be a single value or vector of values.

Details

The dataframe contains both basic and advanced player statistics from each match specified in the match_id input. To find match ID, find the relevant matches on <https://www.footywire.com>

Value

Returns a data frame containing player match stats for each match ID

Examples

```
## Not run:  
get_footywire_stats(ids = 5000:5100)  
  
## End(Not run)
```

get_fryzigg_stats *Return get match stats from fryziggaf1.net/api/*

Description

get_fryzigg_stats returns a data frame containing match stats for each game within the specified date range

Usage

```
get_fryzigg_stats(start = 1897, end = as.numeric(format(Sys.Date(), "%Y")))
```

Arguments

start optional, character string or numeric for start year, in "YYYY" format
 end optional, character string or numeric for end year, in "YYYY"format

Details

This function returns a data frame containing match stats for each game within the specified date range. The data from contains all stats from the fryziggaf1 api and returns 1 row per player.

The date for this function is called from an API with data stored in a PostgreSQL database on AWS. Updated at the conclusion of every game. A cached version to come.

Value

a data table containing player stats for each game between start and end years

Examples

```
#
## Not run:
# Gets all data
get_fryzigg_stats()
# Specify a date range
get_fryzigg_stats(start = 2018, end = 2019)

## End(Not run)
```

get_match_results *Get basic match results from aftables.com*

Description

get_match_results returns a dataframe containing all match results from 1897-current

Usage

```
get_match_results()
```

Details

The dataframe contains information about the Date, teams involved, scores and venue. It comes from aftables 'big lists' section. This is a limited dataset but is very fast to access. It generally is updated on the day after the last game

Value

Returns a data frame containing a line for each match

Examples

```
## Not run:  
get_match_results()  
  
## End(Not run)
```

```
get_score_progression_raw  
    Get raw score progression data
```

Description

`get_score_progression_raw` returns a dataframe raw, unprocessed scoring progression data from afltables.

Usage

```
get_score_progression_raw()
```

Details

The data is unprocessed and unstructured but is a starting point for analysis. It only exists for 2010 to 2017.

Value

Returns a data frame containing raw score progression data

Examples

```
## Not run:  
get_score_progeession_raw()  
  
## End(Not run)
```

```
get_squiggle_data    Access Squiggle data using the squiggle API service.
```

Description

Use `get_squiggle_data` to access the [Squiggle API](http://api.squiggle.com.au). See instructions at api.squiggle.com.au.

Usage

```
get_squiggle_data(
  query = c("teams", "sources", "games", "tips", "ladder", "standings", "virtual",
            "pav"),
  ...
)
```

Arguments

query	A text string. The main query to use with the API. Must be one of sources, games, tips, ladder or standings
...	(optional) An optional argument provided to the Squiggle API . See details for more info.

Details

The optional arguments to squiggle can be one of the following.

#'

- year: an integer specifying the year to return data from, e.g. year = 2018
- round: an integer specifying the round to return data from, e.g. round = 12
- game: an integer specifying the game ID to return data from, e.g. game = 10
- source: an integer specifying the ID of the source to return data from, e.g. source = 1

For full instructions, see api.squiggle.com.au

Value

A dataframe, with the resultant data that matches the query specified in query, as well as any optional filters.

Examples

```
## Not run:
# Return a list of the sources, with ID's
sources <- get_squiggle_data("sources")

# Get tips for Round 1, 2018
tips <- get_squiggle_data(query = "tips", round = 1, year = 2018)

# Get tips from Squiggle 2019
squiggle <- get_squiggle_data(query = "tips", source = 1, year = 2019)

## End(Not run)
```

replace_teams	<i>Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper</i>
---------------	--

Description

Internal function to ensure names match between different sources and also name changes. This gets applied to any web scraper

Usage

```
replace_teams(team)
```

Arguments

team	Team name
------	-----------

replace_venues	<i>Internal function to ensure venue names match between different sources and also name changes across time. This gets applied to any web scraper, transforming all of them to AFL Tables naming conventions.</i>
----------------	--

Description

Internal function to ensure venue names match between different sources and also name changes across time. This gets applied to any web scraper, transforming all of them to AFL Tables naming conventions.

Usage

```
replace_venues(venue)
```

Arguments

venue	Venue name
-------	------------

return_ladder	<i>Recreate the ladder for every or any given round and/or season</i>
---------------	---

Description

return_ladder returns a dataframe containing the ladder for either all seasons and rounds since 1987, or individual rounds/seasons

Usage

```
return_ladder(match_results_df = NA, season_round = NA, season = NA)
```

Arguments

match_results_df	A dataframe that has been returned from get_match_results. If empty get_match_results will execute first
season_round	An integer of the round or vector of integers for multiple rounds. If empty, all rounds returned
season	An integer of the season or vector of integers for multiple seasons. If empty, all seasons returned

Details

The dataframe contains information about the Round, Season, Points For/Against, Ladder Position. It can either take in a data frame created using get_match_results, or if match_results_df is unspecified, will extract all games using get_match_results. Will only allow selecting rounds of the premiership season, not finals.

Value

Returns a data frame containing a line for each team's ladder position at each round of a season

Examples

```
## Not run:
return_ladder()
return_ladder(match_results_df = get_match_results_df, season_round = 23, season = 1990:2019)
return_ladder(season_round = 10, season = 2019)

## End(Not run)
```

`update_footywire_stats`*Update the included footywire stats data to the specified date.*

Description

`update_footywire_stats` returns a dataframe containing player match stats from [footywire](#)

Usage

```
update_footywire_stats(check_existing = TRUE)
```

Arguments

`check_existing` A logical specifying if we should check against existing dataset. Defaults to TRUE. Making it false will download all data from all history which will take some time.

Details

The dataframe contains both basic and advanced player statistics from each match from 2010 to the specified end date.

This function utilised the included ID's dataset to map known ID's. It looks for any new data that isn't already loaded and proceeds to download it.

Value

Returns a data frame containing player match stats for each match ID

Examples

```
## Not run:  
update_footywire_stats()
```

```
## End(Not run)
```

Index

- * **fetch fixture functions**
 - fetch_fixture, [4](#)
 - fetch_player_stats, [8](#)
- * **fetch ladder functions**
 - fetch_ladder, [5](#)
- * **fetch lineup functions**
 - fetch_lineup, [7](#)
- * **fetch results functions**
 - fetch_results, [10](#)

- fetch_betting_odds_footywire, [3](#)
- fetch_fixture, [4](#), [10](#)
- fetch_fixture_afl, [5](#)
- fetch_fixture_afl (fetch_fixture), [4](#)
- fetch_fixture_afl(), [4](#)
- fetch_fixture_footywire, [5](#)
- fetch_fixture_footywire (fetch_fixture), [4](#)
- fetch_fixture_footywire(), [4](#)
- fetch_fixture_squiggle, [5](#)
- fetch_fixture_squiggle (fetch_fixture), [4](#)
- fetch_fixture_squiggle(), [4](#)
- fetch_ladder, [5](#)
- fetch_ladder_afl, [6](#)
- fetch_ladder_afl (fetch_ladder), [5](#)
- fetch_ladder_afl(), [5](#)
- fetch_ladder_afltables, [6](#)
- fetch_ladder_afltables (fetch_ladder), [5](#)
- fetch_ladder_afltables(), [5](#)
- fetch_ladder_squiggle, [6](#)
- fetch_ladder_squiggle (fetch_ladder), [5](#)
- fetch_ladder_squiggle(), [5](#)
- fetch_lineup, [7](#)
- fetch_lineup_afl, [8](#)
- fetch_lineup_afl (fetch_lineup), [7](#)
- fetch_lineup_afl(), [7](#)
- fetch_player_stats, [5](#), [8](#)
- fetch_player_stats_afl (fetch_player_stats), [8](#)
- fetch_player_stats_afltables, [10](#)
- fetch_player_stats_afltables (fetch_player_stats), [8](#)
- fetch_player_stats_afltables(), [9](#)
- fetch_player_stats_footywire, [10](#)
- fetch_player_stats_footywire (fetch_player_stats), [8](#)
- fetch_player_stats_footywire(), [9](#)
- fetch_player_stats_fryzigg, [10](#)
- fetch_player_stats_fryzigg (fetch_player_stats), [8](#)
- fetch_player_stats_fryzigg(), [9](#)
- fetch_results, [10](#)
- fetch_results_afl, [11](#)
- fetch_results_afl (fetch_results), [10](#)
- fetch_results_afl(), [10](#)
- fetch_results_afltables, [11](#)
- fetch_results_afltables (fetch_results), [10](#)
- fetch_results_afltables(), [6](#), [10](#)
- fetch_results_footywire, [11](#)
- fetch_results_footywire (fetch_results), [10](#)
- fetch_results_footywire(), [10](#)
- fetch_results_squiggle, [11](#)
- fetch_results_squiggle (fetch_results), [10](#)
- fetch_results_squiggle(), [10](#)
- fetch_squiggle_data, [12](#)

- get_afl_colour_palettes, [19](#)
- get_afl_cookie, [19](#)
- get_afl_fixture, [20](#)
- get_afltables_stats, [13](#)
- get_aflw_cookie, [14](#)
- get_aflw_detailed_data, [15](#)
- get_aflw_detailed_match_data, [15](#)
- get_aflw_match_data, [16](#)
- get_aflw_player_stats, [17](#)
- get_aflw_round_data, [18](#)

[get_aflw_rounds](#), 18
[get_fixture](#), 20
[get_footywire_betting_odds](#), 21
[get_footywire_match_results](#), 22
[get_footywire_stats](#), 23
[get_fryzigg_stats](#), 23
[get_match_results](#), 24
[get_score_progression_raw](#), 25
[get_squiggle_data](#), 25

[replace_teams](#), 27
[replace_venues](#), 27
[return_ladder](#), 28

[update_footywire_stats](#), 29