

Package ‘`icosa`’

October 13, 2022

Title Global Triangular and Penta-Hexagonal Grids Based on Tessellated Icosahedra

Version 0.10.1

Collate `zzz.R data.R utils-conversion.R utils-spherical.R
utils-vectors.R grid-build.R grid-lookup.R grid-move.R
grid-subset.R grid-attributes.R grid-graphs.R grid-sp-lines.R
grid-sp-polygons.R grid-resample.R data-gridlayer-basic.R
data-gridlayer-attributes.R data-gridlayer-groupgen.R
data-gridlayer-subset.R data-facelayer-basic.R
data-facelayer-graphs.R data-facelayer-resample.R plot-legend.R
plot-2d-grid.R plot-2d-facelayer.R plot-rgl-util.R
plot-rgl-grid.R plot-rgl-facelayer.R plot-rgl-sp3d.R`

Description Employs triangular tessellation to refine icosahedra defined in 3d space. The procedures can be set to provide a grid with a custom resolution. Both the primary triangular and their inverted penta-hexagonal grids are available for implementation. Additional functions are provided to position points (latitude-longitude data) on the grids, to allow 2D and 3D plotting, use raster data and shapefiles.

Depends R ($\geq 3.2.2$)

Date 2021-01-12

License GPL-3

Encoding UTF-8

LazyData true

Suggests `knitr, rmarkdown, rgdal, raster, rgl`

VignetteBuilder `knitr`

RoxygenNote 7.1.1

LinkingTo `Rcpp`

Imports `Rcpp, sp, igraph, methods, stats`

NeedsCompilation yes

Author Adam T. Kocsis [aut, cre]

Maintainer Adam T. Kocsis <adam.t.kocsis@gmail.com>

Repository CRAN

Date/Publication 2021-01-12 19:00:03 UTC

R topics documented:

arcdist	3
arcdistmat	4
arcpoints	5
CarToPol	6
cellocator	7
centers	7
chullsphere	8
edgelenh	9
edges	10
facelayer-class	11
faces	11
faces3d	12
gridgraph	13
gridlabs	14
gridlabs3d	14
guides3d	15
heatMapLegend	16
hexagrid-class	18
icosa	19
length,trigrig-method	20
lines,trigrig-method	20
lines3d	21
locate	22
names,gridlayer-method	23
newgraph	24
newsp	25
occupied	25
orientation	26
plot	27
plot3d	28
PolToCar	29
pos	31
resample	31
rotate	33
rpsphere	33
SpLines	34
SpPolygons	35
subset	36
surfacearea	37
surfacecentroid	38
tessguide	39
translate	40

arcdist 3

trigrd-class	41
trishape	43
values	43
vertices	44
vicinity	45
[,gridlayer,ANY,missing-method	46

Index 47

arcdist *Calculation of distances along arcs*

Description

This function calculates the shortest arc distance between two points.

Usage

```
arcdist(p1, p2, output = "distance", origin = c(0, 0, 0), radius = authRadius)
```

Arguments

- | | |
|---------------------|---|
| <code>p1</code> | (numeric) Vector, XYZ or longitude-latitude coordinates of the first point along the arc. |
| <code>p2</code> | (numeric) Vector, XYZ or longitude-latitude coordinates of the last point along the arc. |
| <code>output</code> | (character) The type of the output value. "distance" will give the distance in the metric that was fed to the function for the coordinates or the radius. "deg" will output the the distance in degrees, "rad" will do so in radians. |
| <code>origin</code> | (numeric) Vector, the center of the circle in XYZ coordinates (default is <code>c(0, 0, 0)</code>). |
| <code>radius</code> | (numeric) The radius of the circle in case the input points have polar coordinates only. Unused when XYZ coordinates are entered. Defaults to the authalic radius of Earth ca. 6371.007km. |

Value

A single numeric value.

Examples

```
# coordinates of two points
point1<- c(0,0)
point2<- c(180,0)
arcdist(point1,point2,"distance")
```

arcdistmat

Calculation of distance matrices along arcs

Description

This function calculates the shortest arc distance matrix between two sets of points.

Usage

```
arcdistmat(
  points1,
  points2 = NULL,
  origin = c(0, 0, 0),
  output = "distance",
  radius = authRadius
)
```

Arguments

points1	(numeric) Matrix, XYZ or longitude-latitude coordinates of the first set of points.
points2	(numeric) Matrix, XYZ or longitude-latitude coordinates of the second set of points. Leave this empty if you want all the arc distances between a set of points
origin	(numeric) Vector, the center of the circle in XYZ coordinates (default is $c(0, 0, 0)$).
output	(character) The type of the output value. "distance" will give back the distance in the metric that was fed to the function in the coordinates or the radius. "deg" will output the the distance in degrees, "rad" will do so in radians.
radius	(numeric) The radius of the circle in case the input points have polar coordinates only. Unused when XYZ coordinates are entered. Defaults to the authalic radius of Earth ca. 6371.007km.

Details

This function will create all possible shortest arc distances between points in the two sets, but not between the points within the sets. The function is useful for great circle distance calculations. For a symmetrical distance matrix leave the points2 argument empty.

Value

A single numeric value.

Examples

```
g <- trigrid(c(4))
res <- arcdistmat(g@vertices)

rand<-rpsphere(500)
res2 <- arcdistmat(g@vertices, rand)
```

`arcpoints`*Calculation of point coordinates along an arc*

Description

This function calculates points along an arc between two points and a circle center.

Usage

```
arcpoints(  
  p1,  
  p2,  
  breaks = 2,  
  origin = c(0, 0, 0),  
  onlyNew = FALSE,  
  output = "cartesian",  
  radius = authRadius  
)
```

Arguments

<code>p1</code>	(numeric) Vector, XYZ or longitude-latitude coordinates of the first point along the arc.
<code>p2</code>	(numeric) Vector, XYZ or longitude-latitude coordinates of the last point along the arc.
<code>breaks</code>	(integer) The number of points inserted between <code>p1</code> and <code>p2</code> . Has to be positive.
<code>origin</code>	(numeric) vector, The center of the circle in XYZ coordinates (default is <code>c(0, 0, 0)</code>).
<code>onlyNew</code>	(logical) Should <code>p1</code> and <code>p2</code> be omitted from the result?
<code>output</code>	(character) The coordinate system of the output points. Can either be "polar" for longitude-latitude or "cartesian" for XYZ data.
<code>radius</code>	(numeric) Single value, the radius of the circle in case the input points have only polar coordinates. Unused when XYZ coordinates are entered. Defaults to the authalic radius of Earth ca. 6371.007km.

Details

The function always returns the smaller arc, with angle $\alpha < \pi$.

Value

Either an XYZ or a long-lat numeric matrix.

Examples

```
# empty plot
plot(NULL, NULL, xlim=c(-180, 180), ylim=c(-90,90))
# then endpoints of the arc
point1<-c(-45,-70)
point2<-c(130,65)
points(arcpoints(point1, point2, breaks=70, output="polar"))
```

CarToPol

Conversion of 3d Cartesian coordinates to polar coordinates

Description

The function uses basic trigonometric relationships to transform XYZ coordinates to polar coordinates

Usage

```
CarToPol(x, ...)

## S4 method for signature 'matrix'
CarToPol(x, norad = FALSE, origin = c(0, 0, 0))

## S4 method for signature 'numeric'
CarToPol(x, norad = FALSE, origin = c(0, 0, 0))

## S4 method for signature 'data.frame'
CarToPol(x, norad = FALSE, origin = c(0, 0, 0))
```

Arguments

x	(matrix, data.frame, numeric) A 3 column data matrix with XYZ coordinates in Cartesian space.
...	Arguments passed to class-specific methods.
norad	(logical). Toggles whether the rho coordinate (distance from origin) should be omitted from the output.
origin	(numeric) Vector with length 3, the XYZ coordinates of the sphere center.

Value

A 3-column or 2-column numeric, matrix or data.frame with longitude, latitude and, if set accordingly, radius data.

Examples

```
# some random points
xyz <- rbind(
  c(6371, 0,0),
  c(0, 6371,0),
  c(1000,1000,1000)
)

# conversions
CarToPol(xyz)
```

cellocator

Locate grid faces based on their positions on a map

Description

The function returns which grid faces contain the points clicked in a plot.

Usage

```
cellocator(gridObj, n, output = "faces", ...)
```

Arguments

gridObj ([trigrid](#) or [hexagrid](#)) The grid object.

n (integer) The number of points to be looked up.

output (character) Type of output: "faces" returns only the face names of the points, "full" returns the coordinates as well.

... Arguments passed to the [locator](#) function.

Value

A vector of character values, each corresponding to a face identifier.

centers

The face centers of an icosahedral grid object

Description

Shorthand function to return the @faceCenters slot of an icosahedral grid or a grid linked to a facelayer.

Usage

```
centers(x, ...)

## S4 method for signature 'trigrigrid'
centers(x, output = "polar")

## S4 method for signature 'facelayer'
centers(x, output = "polar")
```

Arguments

`x` (trigrigrid, hexagrid or facelayer). The grid or linked data layer object.

`...` Arguments passed to the class specific methods.

`output` (character) The coordinate system of the output. Either "polar" or "cartesian".

Value

The coordinates of the face centers as a numeric matrix.

Examples

```
a <- trigrigrid()
centers(a)
```

chullsphere	<i>Spherical convex hull.</i>
-------------	-------------------------------

Description

This function calculates a possible implementation of the spherical convex hull.

Usage

```
chullsphere(
  data,
  center = c(0, 0, 0),
  radius = authRadius,
  param = 200,
  strict = TRUE
)
```


Arguments

data	(numeric) Matrix, XYZ or longitude-latitude coordinates of the set of points.
center	(numeric) Vector, The center of the sphere in XYZ coordinates (default is 0,0,0).
radius	(numeric) Single value, indicating the radius of the sphere. Defaults to the R2 radius of Earth (6371.007km).
param	(numeric) Single positive integer, indicates the number of divisions in the centroid projection method. The higher the number, the closer the replacement points are to the centroid.
strict	(logical) Strictly convex output is required.

Details

With the method `centroidprojection` the function calls the `surfacecentroid` function to get the a reference point from the shape. Then all the points are 'projected' close to this point using the great circles linking them to the reference point. Each such great circle will be divided to an equal number of points and the closest will replace the original point coordinates in the convex hull algorithm implemented in `chull`.

Value

The indices of the data points forming the convex hull as a (numeric) vector.

Examples

```
# generate some random points
allData <- rpsphere(1000)
# select only a subset
points<-allData[allData[,1]>3000,]
chullsphere(points)
```

edgelenh	<i>Lengths of grid edges</i>
----------	------------------------------

Description

This function will return the length of all edges in the specified grid object.

Usage

```
edgelenh(gridObj, ...)
```

S4 method for signature 'trigrd'

```
edgelenh(gridObj, output = "distance")
```

Arguments

gridObj (`trigrd` or `{hexagrid}`) A grid object.

... Arguments passed to the class specific methods.

output (character) The type of the output. "distance" will give back the distance in the metric that was fed to the function in the coordinates or the radius. "deg" will output the the distance in degrees, "rad" will do so in radians.

Value

A named numeric vector.

Examples

```
g <- trigrd(3)
edges <- edglength(g, output="deg")
edges
```

edges

The edges of a 3d object

Description

Shorthand function to get the edges slot of an icosahedral grid or a grid linked to a facelayer.

Usage

```
edges(x)

## S4 method for signature 'obj3d'
edges(x)

## S4 method for signature 'facelayer'
edges(x)
```

Arguments

x (`trigrd`, `hexagrid` or `facelayer`) The grid or linked data object.

Value

The edges of the grid, as a character matrix.

facelayer-class	A facelayer <i>linked to a trigrid or hexagrid object</i>
-----------------	---

Description

The grids themselves are scaffolds for the assigned data. The data are stored in containers which are linked to the grids.

Arguments

gridObj	(hexagrid or trigridd) The linked grid object.
value	(logical,numeric or character) The facelayer will be initialized with these values/this value

Value

A facelayer class object.

Examples

```
g <- trigrid(c(4,4))
fl <- facelayer(g, 1:length(g))
# faces3d(fl)
```

faces	<i>The faces of a 3d object</i>
-------	---------------------------------

Description

Shorthand function to get the faces slot of an icosahedral grid or a grid linked to a [facelayer](#).

Usage

```
faces(x)

## S4 method for signature 'trigridd'
faces(x)

## S4 method for signature 'gridlayer'
faces(x)
```

Arguments

x	(trigridd , hexagrid or facelayer) The grid or facelayer object.
---	--

Value

The faces of the grid as a character matrix.

 faces3d

Methods of 3D face plotting.

Description

This function is used to plot the faces of either a [trigrd](#), [hexagrid](#) or [facelayer](#) object in 3D space.

Usage

```
faces3d(x, ...)

## S4 method for signature 'trigrd'
faces3d(x, ...)

## S4 method for signature 'hexagrid'
faces3d(x, ...)

## S4 method for signature 'facelayer'
faces3d(x, col = "heat", breaks = NULL, inclusive = TRUE, legend = TRUE, ...)
```

Arguments

x	The trigrd , hexagrid or facelayer object to be plotted.
...	Further graphical parameters passed to (see plot3d) and the heatMapLegend function.
col	(character) Graphical parameter indicating the colours of the faces. A single value is accepted for logical values. Multiple colors will be passed to colorRampPalette , to create palettes for heat maps in case of numeric values. The default plotting method in this case is the reversed heat.colors . In case of categorical data, random colors will be chosen.
breaks	(numeric) Vector stating the breakpoints between the plotted levels. The argument is passed to the cut function.
inclusive	(logical): If there are values beyond the limits of breaks, should these be represented in the plot (TRUE) or left out completely FALSE?
legend	(logical) Should the heatmap legend be plotted?

Details

The function is built on the OpenGL renderer of the R package [rgl](#).

Value

The function does not return any value.

Examples

```
# create a hexagonal grid
g <- hexagrid(c(2,2))
# plot the grid in 3d space
# faces3d(g)
h <- hexagrid(8)
b <- facelayer(h)
values(b)<- rnorm(length(b))
```

gridgraph	<i>Create or instantiate an graph class graph from the faces of an icosahedral grid</i>
-----------	---

Description

The function can be applied to both grids and to [facelayer](#)-class object of logical values. The resulting graph will have the characteristics of the original grid (directed/undirected etc.).

Usage

```
gridgraph(x, ...)
```

```
## S4 method for signature 'trigrigrid'
gridgraph(x, directed = FALSE, distances = FALSE)
```

```
## S4 method for signature 'hexagrid'
gridgraph(x, directed = FALSE, distances = FALSE)
```

```
## S4 method for signature 'facelayer'
gridgraph(x)
```

Arguments

x	(trigrigrid , hexagrid or facelayer) The icosahedral grid or facelayer .
...	Arguments passed to the class specific methods.
directed	logical Defaults to FALSE, creating an undirected graph. If TRUE, then the graph will be directed.
distances	logical Defaults to FALSE. If TRUE, then the distances between the linked faces will be calculated and will be rendered to the edges as "dist".

Value

The function returns an undirected igraph graph.

gridlabs	<i>Labels of grid vertices, faces and edges.</i>
----------	--

Description

This function will show where the grid elements are located.

Usage

```
gridlabs(gridObj, type = "f", projargs = NULL, ...)
```

Arguments

gridObj	(trigrid , hexagrid) An icosahedral grid.
type	(character) The type of element to be plotted: either "f" (faces), "v" (vertices) or "e" (edges).
projargs	(character or CRS) A projection string for the transformation fo coordinates.
...	Arguments passed to the text function.

Value

The function has no return value.

Examples

```
gr <- hexagrid(sp=TRUE)
plot(gr)
gridlabs(gr)
```

gridlabs3d	<i>Display the names of the grid elements in 3d plots.</i>
------------	--

Description

This function will display the names of vertices, faces and edges on 3d plots.

Usage

```
gridlabs3d(gridObj, ...)

## S4 method for signature 'trigrid'
gridlabs3d(gridObj, type = "f", ...)

## S4 method for signature 'hexagrid'
gridlabs3d(gridObj, type = "f", ...)
```

Arguments

gridObj (trigrid, hexagrid) An icosahedral grid.
 ... Additional arguments passed to `text3d` function of the `rgl` package.
 type (character) Vector containing either "f", "e" or "v", rendering the names of either the faces, edges or vertices respectively.

Value

The function does not return any value.

Examples

```
# create a hexagonal grid
g <- hexagrid(c(2,2))
# plot the grid in 3d space
# lines3d(g, guides=FALSE)
# labels
# gridlabs3d(g)
```

guides3d

Guides for 3d spherical plotting.

Description

This function plots 3d guidelines for navigation on the surface of the sphere, including the rotational axis and a polar coordinate system.

Usage

```
guides3d(
  axis = 1.5,
  polgrid = c(30, 30),
  textPG = FALSE,
  res = 1,
  origin = c(0, 0, 0),
  radius = authRadius,
  drad = 1.1,
  ...
)
```

Arguments

axis (numeric) Draws the -90(lat. deg.) +90 (lat. deg.) axis. The plotted radius will be axis times the authalic radius, ca. 6371km.
 polgrid (numeric) with the length of 2, where the first argument specifies the size of the longitudinal and the second the latitudinal divisions (degrees). Setting this argument to NULL will turn this feature off.

textPG	(logical) Flag indicating whether the coordinate values should be added to the 3d render.
res	(numeric) Graphical resolution of the curves: the distance in degrees between the points of the rendered guides.
origin	(numeric) Vector of length=3. Indicates the center of the guiding sphere.
radius	(numeric) Values indicating the radius of the guiding sphere. Defaults to the R2 radius of Earth (6371.007km).
drad	(numeric) Value, indicates the position of coordinate 3d text relative to the guiding sphere radius.
...	Additional arguments passed to segments3d , lines3d and text3d .

Details

The function is built on the OpenGL renderer of the R package `rgl`.

Value

The function does not return any value.

Examples

```
# create a hexagonal grid
g <- hexagrid(c(2,2))
# plot the grid in 3d space
# plot3d(g, guides=FALSE)
# plot the rotational axis in blue
# guides3d(axis=2, polgrid=NULL, col="blue")
# plot the polar grid at 10 degree resolution
# guides3d(axis=NULL, polgrid=c(10,10), col="red")
# plot some coordinates
# guides3d(axis=NULL, polgrid=c(30,30), textPG=TRUE, col="orange", cex=1.4)
```

heatMapLegend

Legend for a heatmap with predefined colors.

Description

This function will invoke the `plot` function to draw a heatmap legend.

Usage

```
heatMapLegend(
  cols,
  vals,
  varName,
  tick.text = NULL,
  tick.cex = 1.5,
```



```

    barWidth = 3,
    barHeight = 50,
    tickLength = 1,
    xLeft = 88,
    yBot = 25,
    add = FALSE,
    bounds = c(FALSE, FALSE),
    ...
)

```

Arguments

cols	(character) Vector, containnig the ordered colors that are used for the heatmap.
vals	(numeric) If tick.text is missing, the lowest value in the heatmap
varName	(character) The label of the variable name plotted to the heatmap.
tick.text	(numeric) The values on the heatmap legend. If missing, will be calculated with minVal and maxVal.
tick.cex	(numeric) Letter size of the values on the legend.
barWidth	(numeric) The width (percent) of the bar featuring the colors of the heatmap.
barHeight	(numeric) The height (percent)of the bar featuring the colors of the heatmap.
tickLength	(numeric) The length (percent) of the ticks at the bars.
xLeft	(numeric) The x coordinate of the lower left hand corner of the bar.
yBot	(numeric) The y coordinate of the lower left hand corner of the bar.
add	(logical) Indicates wheter a new plot should be drawn or not. Defaults to FALSE.
bounds	(logical) Vector (length 2) indicating whether open intervals should be indicated for the legend.
...	Arguments passed to the plot function.

Details

The 'percents' refer to the plotting area measured from the lower left corner.

Value

The function does not return any value.

hexagrid-class	<i>Construct a penta-hexagonal icosahedral grid</i>
----------------	---

Description

The hexagrid function constructs a hexa-pentagonal grid based on the inversion of a tessellated icosahedron.

Arguments

tessellation	(numeric) An integer vector with the tessellation values. Each number describes the number of new edges replacing one original edge. Multiple series of tessellations are possible this way. The total tessellation is the product of the tessellation vector. Higher values result in more uniform cell sizes, but the larger number of tessellation series, increases the speed of lookup functions.
sp	(logical) Flag indicating whether the SpatialPolygons class representation of the grid should be added to the object when the grid is calculated. If set to true the SpPolygons function will be run with with the resolution parameter set to 25. The resulting object will be stored in slot @sp. As the calculation of this object can increase the grid creation time substantially by default this argument has a value FALSE. This can be added on demand by running the function newsp .
graph	(logical) Flag indicating whether the igraph class representation of the grid should be added to the object when the grid is calculated. This argument defaults to TRUE because this option has only minor performance load on the grid constructor function. For familiarization with the object structure, however, setting this parameter to FALSE might help, as invoking str on the 'igraph' class slot of the class might flood the console.
radius	(numeric) The radius of the grid. Defaults to the authalic radius of Earth.
center	(numeric) The origin of the grid in the reference Cartesian coordinate system. Defaults to $c(0, 0, 0)$.

Details

Inherits from the `trigrd` class.

The grid structure functions as a frame for data graining, plotting and calculations. Data can be stored in layers that are linked to the grid object. In the current version only the [facelayer](#) class is implemented which allows the user to render data to the cells of the grid which are called faces. The grid 'user interface' is made up of four primary tables: the `@vertices` table for the coordinates of the vertices, the `faceCenters` for the coordinates of the centers of faces, the `faces` and the `edges` tables that contain which vertices form which faces and edges respectively. In these tables, the faces and vertices are sorted to form spirals that go from the north pole in a counter-clockwise direction. In case grid subsetting is performed these tables get truncated.

At finer resolutions, the large number of spatial elements render all calculations very resource demanding and slow, therefore the hierarchical structure created during the tessellation procedure is retained for efficient implementations. These data are stored in a list in the slot `@skeleton` and are

0-indexed integer tables for Rccp-based functions. \$v stores vertex, \$f the edge, and \$e contains the edge data for plotting and calculations. In these tables the original hierarchy based orderings of the units are retained, during subsetting, additional vectors are used to indicate deactivation of these units. Any sort of meddling with the @skeleton object will lead to unexpected behavior.

Value

A hexagonal grid object, with class hexagrid.

Slots

- vertices Matrix of the vertex coordinates.
- faces Matrix of the verticies forming the faces
- edges Matrix of the vertices forming the edges.
- tessellation Contains the tessellation vector.
- orientation Contains the grid orientation in xyz 3d space, values in radian.
- center The xyz coordinates of the grid's origin/center.
- div Contains the number of faces that a single face of the previous tessellation level is decomposed to.
- faceCenters Contains the xyz coordinates of the centers of the faces on the surface of the sphere.

Examples

```
g <- hexagrid(c(8), sp=TRUE)
g1 <- hexagrid(c(2,3,4))
```

icosa	<i>Global Triangular and Hexa-Pentagonal Grids Based on Tessellated Icosahedra</i>
-------	--

Description

The **icosa** package provides tools to aggregate and analyze geographic data using grids based on tessellated icosahedra. The procedures can be set to provide a grid with a custom resolution. Both the primary triangular and their inverted penta- hexagonal grids are available for implementation. Additional functions are provided to position points (latitude-longitude data) on the grids, to allow 2D and 3D plotting, use raster data and shapefiles.

Details

This is still the Beta version. Notes about found bugs and suggestions are more than welcome!

Author(s)

Adam T. Kocsis (adam.t.kocsis@gmail.com)

Examples

```
# Create a triangular grid
tri <- trigrid(c(2,2))
```

length, trigrid-method *The number of faces in a trigrid or hexagrid class object.*

Description

The length of the object is interpreted as the number of faces it contains.

Usage

```
## S4 method for signature 'trigrd'
length(x)

## S4 method for signature 'gridlayer'
length(x)
```

Arguments

x [\(trigrd, hexagrid or facelayer\)](#) The object.

Value

An integer value.

lines, trigrid-method *Lines method for the trigrid and hexagrid classes*

Description

This function will invoke the [sp.lines](#) method of the [SpatialPolygons](#) class.

Usage

```
## S4 method for signature 'trigrd'
lines(x, projargs = NULL, ...)
```

Arguments

x [\(trigrd, hexagrid\)](#) Object.
 projargs (character or [CRS](#)) A projection string for the transformation fo coordinates.
 ... Arguments passed to the [sp.lines](#) method.

Value

The function has no return value.

Description

This is a generic function used to plot the edge lines of either a trigrid or a hexagrid object, a facelayer, or Spatial objects in 3d space. The method is also implemented for the object classes defined by the package 'sp'.

Usage

```
lines3d

## S4 method for signature 'trigrd'
lines3d(x, arcs = FALSE, ...)

## S4 method for signature 'Line'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'Lines'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'SpatialLines'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'SpatialLinesDataFrame'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'Polygon'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'Polygons'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'SpatialPolygons'
lines3d(x, radius = authRadius, ...)

## S4 method for signature 'SpatialPolygonsDataFrame'
lines3d(x, radius = authRadius, ...)
```

Arguments

x	(trigrd , hexagrid , facelayer or sp) Object to be plotted.
arcs	logical Value setting whether great circle arcs or segments shall be drawn between the points of the grid.
...	Further graphical parameters passed to (see plot3d).

radius (numeric) Used for plotting objects that inherit from `Spatial*`. The radius of the sphere the sp objects are plotted with. Default to the authalic (R2) radius of Earth.

Format

An object of class `nonstandardGenericFunction` of length 1.

Details

The function is built on the OpenGL renderer of the R package `rgl`, which needs to be installed for the function to run. Although the function works without attaching `rgl`, note that if you want to attach both `icosa` and `rgl`, the `rgl` package has to be loaded first otherwise the function will not be usable.

Value

The function does not return any value.

Examples

```
# create a hexagonal grid
g <- hexagrid(c(2,2))
# plot the grid in 3d space
# lines3d(g, col="blue")
```

locate

Basic lookup function of coordinates on an icosahedral grid

Description

Basic lookup function of coordinates on an icosahedral grid

Usage

```
locate(x, y, ...)
```

```
## S4 method for signature 'trigrd,matrix'
locate(x, y, randomborder = FALSE, output = "ui")
```

```
## S4 method for signature 'trigrd,numeric'
locate(x, y, ...)
```

```
## S4 method for signature 'trigrd,data.frame'
locate(x, y, ...)
```

```
## S4 method for signature 'trigrd,SpatialPoints'
locate(x, y, ...)
```

```
## S4 method for signature 'trigrig, SpatialPointsDataFrame'
locate(x, y, ...)

## S4 method for signature 'hexagrid, matrix'
locate(x, y, output = "ui", randomborder = FALSE, forceNA = FALSE)
```

Arguments

x	(trigrig, hexagrid) Icosahedral grid object.
y	(matrix, data.frame, numeric or Spatial) Coordinates of individual points. Can be either a two-dimensional matrix of long-lat coordinates, a three-dimensional matrix of XYZ coordinates, or a set of points with class SpatialPoints or SpatialPointsDataFrame .
...	Arguments passed to class specific methods.
randomborder	(logical) Defaults to FALSE. If TRUE, then the points falling on vertices and edges will be randomly assigned, otherwise they will be kept as NAs.
output	(character) Either "ui" or "skeleton". "ui" returns the face names used in the user interface, while "skeleton" returns their indices used in back-end procedures.
forceNA	(logical) Suppressing the recursive lookup of points falling on subface boundaries.

Value

The function returns the cell names (as character) where the input coordinates fall.

Examples

```
# create a grid
g <- trigrig(4)
# some random points
randomPoints <- rpsphere(4, output="polar")
# cells
locate(g, randomPoints)
```

names.gridlayer-method

The face names in a [facelayer](#) class object

Description

Function to extract the registered face names to which the [facelayer](#) renders information.

Usage

```
## S4 method for signature 'gridlayer'
names(x)
```

Arguments

x (facelayer) Object.

Value

A vector of character values, the names of the faces.

newgraph

Add an igraph object to a predefined slot in an icosahedral grid

Description

Add an igraph object to a predefined slot in an icosahedral grid

Usage

```
newgraph(gridObj, ...)
```

```
## S4 method for signature 'trigrig'
newgraph(gridObj, ...)
```

Arguments

gridObj (trigrig, hexagrid) An icosahedral grid.
 ... Arguments passed to the `gridgraph` function.

Value

A new (trigrig or hexagrid) object with the recalculated graph.

Examples

```
#create a grid
g<-trigrig(4, graph=FALSE)
g<-newgraph(g)
```

newsp	Add a SpatialPolygons object to a predefined slot in a trigrid or hexagrid object
-------	---

Description

Add a [SpatialPolygons](#) object to a predefined slot in a [trigrid](#) or [hexagrid](#) object

Usage

```
newsp(gridObj, res = NULL)

## S4 method for signature 'trigrid'
newsp(gridObj, res = NULL)
```

Arguments

gridObj	(trigrid or hexagrid) An icosahedral grid.
res	(numeric) The number of points inserted between two vertices, passed to SpPolygons .

Value

A [trigrid](#) or [hexagrid](#) object with the new @sp slot.

Examples

```
a<-trigrid(4)
a<-newsp(a)
plot(a)
```

occupied	<i>Faces occupied by the specified object</i>
----------	---

Description

This function will return a [facelayer](#) class object showing which faces are occupied by the input object.

Usage

```
occupied(gridObj, data, ...)
```

Arguments

gridObj	(trigrid or hexagrid) An icosahedral grid.
data	(matrix, data.frame or Spatial) The queried data.
...	Arguments passed to the class specific methods

Details

This is a wrapper function on the OccupiedFaces methods that are specific to grid class and input data.

Value

The function Returns a `facelayer`-class object.

Examples

```
# create a grid
g <- trigrid(8, sp=TRUE)

# create random points
randPoints <- rpsphere(100,output="polar")

# the facelayer occupied by these points
randomLayer <- occupied(g, randPoints)
plot(randomLayer)
points(randPoints, col="blue", pch="+")
```

orientation

Extracting and setting the grid orientation

Description

Extracting and setting the grid orientation

Usage

```
orientation(x, ...)
```

S4 method for signature 'trigrid'

```
orientation(x, display = "deg", ...)
```

```
orientation(x) <- value
```

S4 replacement method for signature 'trigrid'

```
orientation(x) <- value
```

Arguments

x	(<code>trigrid</code> or <code>hexagrid</code>): Input grid.
...	Values passed on to the <code>rotate</code> function.
display	(character) The output unit. In case it is set to "deg" the output will be in degrees, in case it is "rad", then radians.
value	(numeric) The vector of rotation. Passed as the angles argument of <code>rotate</code> .

Value

In case the function returns does, it returns the orientation angles of the grid (as numeric).

plot	<i>Plot method for the trigrd, hexagrid or facelayer classes</i>
------	--

Description

This function will invoke the plot method of the [SpatialPolygons](#) class.

The function passes arguments to the plot method of the [SpatialPolygons](#) class. In case a heatmap is plotted and the plotting device gets resized, some misalignments can happen. If you want to use a differently sized window, use [x11](#) to set the height and width before running the function.

Usage

```
plot

## S4 method for signature 'trigrd,ANY'
plot(x, projargs = NULL, ...)

## S4 method for signature 'facelayer,ANY'
plot(
  x,
  projargs = NULL,
  col = "heat",
  border = NA,
  alpha = NULL,
  frame = FALSE,
  legend = TRUE,
  breaks = NULL,
  inclusive = TRUE,
  discrete = FALSE,
  ...
)
```

Arguments

x	(trigrd , hexagrid or facelayer) The object to be plotted.
projargs	(character or CRS) A projection string for the transformation fo coordinates.
...	Arguments passed to the plot function.
col	(character) Colors passed to a colorRamp in case of the facelayer contains logical values, a single value is required (defaults to "red").
border	(character) Specifyies the color of the borders of the cells.
alpha	(character) Two digits for the fill colors, in hexadecimal value between 0 and 255.

frame	(logical) If TRUE the grid boundaries will be drawn with black.
legend	(logical): Should the legend be plotted?
breaks	(numeric) The number of breakpoints between the plotted levels. The argument is passed to the <code>cut</code> function.
inclusive	(logical): If there are values beyond the limits of breaks, should these be represented in the plot (TRUE) or left out completely FALSE?
discrete	(logical): Do the heatmaps symbolize a discrete or a continuous variable? This argument only affects the legend of the heatmap.

Format

An object of class `standardGeneric` of length 1.

Value

The function has no return value.

plot3d	<i>3d plotting of an icosahedral grid, its subset or a data layer</i>
--------	---

Description

The function is built on the OpenGL renderer of the R package `rgl`. The default plotting window size is 800x800 pixels. In case you want to override this, please use the function with `defaultPar3d=FALSE` after running `par3d(windowRect=<>)`.

Usage

```
plot3d(x,...)

## S3 method for class 'trigrd'
plot3d(x, type = c("l"), sphere = NULL, add = FALSE, guides = TRUE, ...)

## S3 method for class 'hexagrid'
plot3d(
  x,
  type = c("l"),
  sphere = NULL,
  color = "gray70",
  add = FALSE,
  guides = TRUE,
  ...
)

## S3 method for class 'facelayer'
plot3d(x, type = "f", frame = TRUE, guides = TRUE, defaultPar3d = TRUE, ...)
```

Arguments

x	(trigrd , hexagrid or facelayer) Object to be plotted.
type	(character) Value specifying the part of the grid to be plotted by the call of the function. "v" plots the grid vertex points. "e" draws the grid edges. "f" draws the grid faces. "c" draws the face centers of the grid.
sphere	(numeric) Defaults to NULL, adding a central white sphere to the plot. Assigning a numeric value will draw a new sphere with the given radius, FALSE does not plot the sphere.
add	(logical) Value indicating whether a new plot shall be drawn, or the currently plotted information should be added to the active <code>rgl</code> device.
guides	(logical) Value indicating whether the guidelines of the polar coordinate system shall be plotted.
...	Further graphical parameters passed to (see plot3d).
color	(character) Only for the hexagrid plotting: value/values passed to the faces3d function instead of <code>col</code> .
frame	(logical) If set to TRUE the grid line structure will be plotted.
defaultPar3d	(logical) Flag indicating whether the default settings for par3d are to be used (<code>windowRect = c(50, 60, 800, 800)</code> , <code>zoom=0.8</code>).

Format

An object of class function of length 1.

Value

The function does not return any value.

Examples

```
# create a hexagonal grid
g <- hexagrid(c(2,2))
# plot the grid in 3d space
# plot3d(g, col="blue")
# make a subset to select faces
subG <- subset(g, c("F5", "F2"))
# plot the subset defined above
# plot3d(subG, type="f", col=c("orange"), add=TRUE, lwd=1)
```

Description

The function uses basic trigonometric relationships to transform longitude/latitude coordinates on a sphere to xyz Cartesian coordinates.

Usage

```
PolToCar(x, ...)

## S4 method for signature 'matrix'
PolToCar(x, radius = authRadius, origin = c(0, 0, 0))

## S4 method for signature 'numeric'
PolToCar(x, radius = authRadius, origin = c(0, 0, 0))

## S4 method for signature 'data.frame'
PolToCar(x, radius = authRadius, origin = c(0, 0, 0), long = NULL, lat = NULL)
```

Arguments

x	(matrix, numeric, data.frame) A 2-column numeric matrix with the longitude/latitude data.
...	Arguments passed to class-specific methods.
radius	(numeric) The radius of the sphere. Defaults to the R2 radius of Earth (6371.007km).
origin	(numeric) Vector with length 3, the XYZ coordinates of the sphere center.
long	(character) If x is a data.frame, then the column used as longitudes.
lat	(character) If x is a data.frame, then the column used as latitudes.

Details

The authalic mean radius of Earth (6371.007 km) is used by this function as a default. The origin is $c(0, 0, 0)$. The precision of these conversions is not exact (see example $c(0, 90)$ below), but should be considered acceptable when applied at a reasonable scale (e.g. for global analyses using data above $10e-6$ meters of resolution).

Value

An xyz 3-column numeric matrix, data.frame or numeric, depending on the class of x.

Examples

```
longLat <- rbind(
  c(0,0),
  #note the precision here!
  c(0, 90),
  c(-45,12)
)
# matrix-method
xyz <- PolToCar(longLat)
# numeric-method
xyz2 <- PolToCar(longLat[1,])
# data.frame method
xyz3 <- PolToCar(as.data.frame(longLat))
```

pos	<i>Position of face centers and vertices on a grid</i>
-----	--

Description

This function will retrieve the position of a vertex or a face on a [hexagrid](#) or [trigridd](#) object.

Usage

```
pos(gridObj, names, output = "polar")
```

Arguments

gridObj	a (hexagrid or trigridd) Icosahedral grid object.
names	(character) Vector of the names that are to be looked up.
output	(character) The coordinate system in which the names are to be shown: use "polar" for longitude-latitude and "cartesian" for XYZ output.

Details

Vertex and face names can be mixed in a single names argument.

Value

A numeric matrix.

Examples

```
g <- trigridd(c(4,4))
pos(g, c("F2", "P6", "dummyname"))
```

resample	<i>Resampling of data involving a trigridd or a hexagrid object.</i>
----------	--

Description

The function is used to resolve and resample data stored in `RasterLayers` and `facelayers` so they can be fitted to and can be plotted by using [trigridd](#) or [hexagrid](#) objects.

The function applies different resampling algorithms. Currently there are only two implemented methods, one for upscaling and one for downscaling. The downscaling method "average" will tabulate all face centers from the high resolution grid that fall on a coarse resolution cell and average them. The upscaling method "ebaa" (edge breakpoint area approximation) will estimate the areas covered by the high resolution cells using the number of edge breakpoints.

Usage

```
resample

## S4 method for signature 'Raster,trigrid'
resample(x, y, method = "ngb", na.rm = TRUE)

## S4 method for signature 'facelayer,trigrid'
resample(x, y, method = NULL, res = 5)
```

Arguments

x	(RasterLayer , facelayer) Object to resample.
y	(hexagrid or trigrid) Object describing the target structure.
method	(character) The name of the algorithm used for resampling.
na.rm	(logical) If a face contains a missing value, should its value be NA as well (FALSE) or calculate the mean anyway (TRUE).
res	(numeric) Value indicating the precision of area estimation during the upscaling (facelayer-method). In case the "ebaa" method is chosen, the variable indicate the number of breaking points on an edge.

Format

An object of class `standardGeneric` of length 1.

Details

This method is necessary to utilize rasterized data in the [icosa](#) package. The only method currently implemented upscales the raster data and then resolves the values to the [trigrid](#) or [hexagrid](#) values, using averages. In the case of resampling [RasterLayers](#), the method argument will be passed to the [resample](#) function.

Value

A named numeric vector.

Examples

```
# create a grid
g <- trigrid(c(4,4))
# create a data layer
fl <- facelayer(g)
fl@values<-rnorm(length(fl))
# target structure
h <- trigrid(4)
# resampling
res <- resample(fl, h)
fl2<-facelayer(h)
fl2@values[] <- res
```

rotate	<i>Rotation of <code>trigrid</code> and <code>hexagrid</code> objects</i>
--------	---

Description

Rotation of `trigrid` and `hexagrid` objects

Usage

```
rotate
```

```
## S4 method for signature 'trigrid'
rotate(x, angles = "random", pivot = NA)
```

Arguments

x	(<code>trigrid</code> or <code>hexagrid</code>) Input grid.
angles	(numeric): The vector of rotation in radians (three values in each dimension). If set to "random", the rotation will be random (default).
pivot	(numeric): The pivot point of the rotation, vector of xyz coordinates. Defaults to NA indicating that the rotation will be around the center of the grid.

Format

An object of class `standardGeneric` of length 1.

Value

Another `trigrid` or `hexagrid` class object.

rpsphere	<i>Random point generation on the surface of a sphere</i>
----------	---

Description

This function will create a predefined number of points randomly distributed on the surface of a sphere with a given radius.

Usage

```
rpsphere(n = 1, output = "cartesian", radius = authRadius, origin = c(0, 0, 0))
```

Arguments

n	(numeric) The number of random points to be created.
output	(character) The coordinate system of the new points. Can either be "cartesian" for XYZ coordinates or "polar" for spherical, longitude-latitudes coordinates.
radius	(numeric) The radius of the sphere
origin	(numeric) The center of the sphere (XYZ coordinates).

Details

The function uses a three dimension normal distribution to generate points, which are then projected to the surface of the sphere.

Value

A 3-column (XYZ) or a 2-column (long-lat) numeric matrix.

Examples

```
randomPoints <- rpsphere(2000, output="polar")
# observe latitudinal pattern
plot(randomPoints, xlim=c(-180, 180), ylim=c(-90, 90))
```

SpLines

Create a [SpatialLines](#) class object from an icosahedral grid

Description

Create a [SpatialLines](#) class object from an icosahedral grid

Usage

```
SpLines(gridObj, ...)

## S4 method for signature 'trigrd'
SpLines(gridObj, dateLine = "break", res = NULL)
```

Arguments

gridObj	(trigrd or hexagrid) Icosahedral grid object.
...	Specific details of the new SpatialLines object.
dateLine	(logical) Specifies whether NAs should be introduced at the dateline to break the boundaries of the faces. Can be switched off by setting it to FALSE.
res	(numeric) The number of points inserted between two vertices, or NULL, if this is to be set by the package. The default method increases resolution with lower tessellation values, and is higher for higher absolute latitudes.

Value

An object of class [SpatialLines](#).

SpPolygons

Spatial polygons from an icosahedral grid

Description

The function will create a [SpatialPolygons](#) class 2d representation of the icosahedral grid.

Usage

```
SpPolygons(gridObj, ...)  
  
## S4 method for signature 'trigrd'  
SpPolygons(gridObj, res = NULL)  
  
## S4 method for signature 'hexagrid'  
SpPolygons(gridObj, res = NULL)
```

Arguments

gridObj	(trigrd or hexagrid) An icosahedral grid.
...	Arguments passed to class-specific methods.
res	(numeric) The number of points inserted between two vertices, or NULL, if this is to be set by the package. The default method increases resolution with lower tessellation values, and is higher for higher absolute latitudes.

Value

A [SpatialPolygons](#) class object.

Examples

```
a <- trigrd()  
sp <- SpPolygons(a)
```

subset

*Subsetting an icosahedral grid or data layers organized with them***Description**

This is a generic function used to access data from either a triangular or hexagonal grid using the names of the faces, integers or logical vectors.

The function extracts subsets of the `gridlayer` depending on different criteria.

Usage

```
subset

## S4 method for signature 'trigrd'
subset(x, i)

## S4 method for signature 'hexagrid'
subset(x, i)

## S4 method for signature 'trigrd,ANY,ANY'
x[i]

## S4 method for signature 'gridlayer'
subset(x, i)
```

Arguments

`x` ([trigrd](#), [hexagrid](#) or [facelayer](#)) The object to be subsetted.

`i` (logical, numeric or character) The subscript vector, specifying the faces that are used for subsetting. As in [subset](#).

Format

An object of class `standardGeneric` of length 1.

Details

The function returns subsets of the grid pertaining to the specified faces that can be used for additional operations (e.g. plotting). The subscript vector can be either a logical, character or numeric one. The character vector should contain the names of faces, the logical subscript should have the same length as the number of faces in the order in which the faces are present in the faces slot. The numeric vector can either refer to indices to the rownames of faces in the faces slot, or to surfaces bounded by longitude/latitude data. In the latter case, the the vector should contain an element with a names of at least one of the "lomax", "lamax", "lomin" or "lamin" strings (lo for longitude, la: latitude, min: minimum, max: maximum). In case a subset around the dateline is needed a larger longitude to a smaller longitude value is needed (e.g. between 150° to -150°).

The following methods are incorporated into the function: If *i* argument is a vector of integers, they will be interpreted as indices. If the numeric *i* contains either the *lamin*, *lamax*, *lomin* or *lomax* names, the subsetting will be done using the latitude-longitude coordinates outlined by these 4 values. Logical subsetting and subsetting by face names are also possible.

Value

Subset of the input grid. The class of the original object is retained, the `@skeleton` slot contains all previous information.

Examples

```
#create a triangular grid
g <- trigrid(c(2,2))

#make a subset pertaining to the faces
subG1 <- subset(g, c("F1", "F33"))

#additional way of subsetting
subG2 <- g[1:15] # selects faces F1 through F15
logicalSub<-sample(c(TRUE,FALSE), nrow(g@faces), replace=TRUE)
subG3 <- g[logicalSub]

#plot the subset in 3d space
# plot3d(subG3)

# previously mentioned case around the dateline
gDateLine<-g[c(lomax=-150, lomin=150)]
# plot3d(gDateLine)
```

surfacearea

Areas of grid cell surfaces

Description

This function will return the areas of all cells in the specified grid object.

Usage

```
surfacearea(gridObj)

## S4 method for signature 'trigrid'
surfacearea(gridObj)

## S4 method for signature 'hexagrid'
surfacearea(gridObj)
```

Arguments

`gridObj` ([trigrid](#) or [hexagrid](#)) Object.

Value

A named numeric vector, in the metric that was given to the function in the coordinates or the radius. "deg" will output the the distance in degrees, "rad" will do so in radians.

Examples

```
g <- trigrid(3)
surfaces <- surfacearea(g)
surfaces
```

surfacecentroid	<i>Surface centroid point of a spherical point cloud</i>
-----------------	--

Description

This function the projected place of the centroid from a pointset on the sphere.

Usage

```
surfacecentroid(x, ...)

## S4 method for signature 'matrix'
surfacecentroid(x, output = "polar", center = c(0, 0, 0), radius = authRadius)

## S4 method for signature 'data.frame'
surfacecentroid(x, ...)

## S4 method for signature 'SpatialPoints'
surfacecentroid(x, ...)
```

Arguments

x	(matrix or data.frame) Numeric data, XYZ or longitude-latitude coordinates of the set of points.
...	Arguments passed to the matrix-method.
output	(character) The coordinate system of the output points. Can either be "polar" for longitude-latitude or "cartesian" for XYZ data.
center	(numeric) The center of the sphere in XYZ coordinates (default is 0,0,0).
radius	(numeric) The radius of the circle in case the input points have only polar coordinates. Unused when XYZ coordinates are entered. Defaults to the authalic radius of Earth ca. 6371.007km.

Details

The function implements great circle calculations to infer on the place of the centroid, which makes it resource demanding. This is necessary to avoid a particular error that frequently occurs with other methods for centroid calculation, namely that the place of the centroid is right, but on the opposite hemisphere.

Value

Either an XYZ or a long-lat numeric vector.

Examples

```
# generate some random points
allData <- rpsphere(1000)
# select only a subset
points<-allData[allData[,2]>1500,]
# transform to 2d
points2 <- CarToPol(points, norad=TRUE)
# the spherical centroid
sc <- surfacecentroid(points2, output="polar")
sc

#3d plot
plot(points2, xlim=c(-180, 180), ylim=c(-90, 90))
points(sc[1], sc[2], col="red", cex=5)
```

tessguide

Tessellation guide to [hexagrid](#) objects

Description

The table includes basic properties of [hexagrids](#) described with specific tessellation parameters

Usage

```
tessguide
```

Format

A data.frame with 129 observations and 18 variables:

total The total tessellation of the grid, the number of points inserted between icosahedron vertices along an edge.

level1 Level 1 tessellation.

level2 Level 2 tessellation - second value of the tessellation vector.

level3 Level 3 tessellation - third value of the tessellation vector.

level4 Level 4 tessellation - four value of the tessellation vector.
 faces The number of faces in the grid.
 vertices The number of vertices in the grid.
 meanEdgeLength_deg Mean edge length in degrees.
 sdEdgeLength_deg Standard deviation of edge length in degrees.
 meanEdgeLength_km Mean edge length in kilometers.
 sdEdgeLength_km Standard deviation of edge length in kilometers.
 meanArea_km2 Mean face area in square-kilometers.
 sdArea_km2 Standard deviation of face area in square-kilometers.
 time Time to compute grid with an Intel Xeon E-1650 processor.
 time_sp Time to compute grid with an Intel Xeon E-1650 processor, with the 'sp' member.
 size The size of the grid in bytes.
 size_sp The size of the grid object in bytes, with the 'sp' member.
 timeLocate_5000 Time to locate 5000 points with an Intel Xeon E-1650 processor in seconds.

 translate

Translating an icosahedral grid object in 3d Cartesian space

Description

The function translates the coordinates of a grid object with the specified 3d vector.

Usage

```

translate(gridObj, vec)

## S4 method for signature 'trigrid,numeric'
translate(gridObj, vec)

## S4 method for signature 'hexagrid,numeric'
translate(gridObj, vec)

```

Arguments

gridObj ([trigrid](#) or [hexagrid](#)) Icosahedral grid object.
 vec (numeric) A vector of length 3. This is the translation vector.

Value

The same grid structure as the input, but with translated coordinates.

Examples

```
# create a grid and plot it
g <- trigrd(3)
# lines3d(g)
# translate the grid to (15000,15000,15000)
g2 <- translate(g, c(15000,15000,15000))
# lines3d(g2)
```

trigrd-class	<i>A triangular icosahedral grid</i>
--------------	--------------------------------------

Description

trigrd() creates a triangular grid based on the tessellation of an icosahedron.

Arguments

tessellation	(numeric) An integer vector with the tessellation values. Each number describes the number of new edges replacing one original edge. Multiple series of tessellations are possible this way. The total tessellation is the product of the tessellation vector. Higher values result in more uniform cell sizes, but the larger number of tessellation series increases the speed of lookup functions.
sp	(logical) Flag indicating whether the SpatialPolygons class representation of the grid should be added to the object when the grid is calculated. If set to TRUE the SpPolygons() function will be run with with the resolution parameter set to 25. The resulting object will be stored in slot @sp. As the calculation of this object can substantially increase the grid creation time, by default this argument has a value of FALSE. The SpatialPolygons class representation can be added on demand by running the function newsp.
graph	(logical) Flag indicating whether the 'igraph' class representation of the grid should be added to the object when the grid is calculated. This argument defaults to TRUE because this option has only minor performance load on the grid constructor function. For familiarization with the object structure, however, setting this parameter to FALSE might help, as invoking str on the 'igraph' class slot of the class might flood the console.
radius	(numeric) The radius of the grid. Defaults to the authalic radius of Earth.
center	(numeric) The origin of the grid in the reference Cartesian coordinate system. Defaults to (0,0,0).

Details

The grid structure functions as a frame for data graining, plotting and spatial calculations. Data can be stored in layers that are linked to the grid object. In the current version only the facelayer class is implemented, which allows the user to render data to the cells of the grid, which are usually referred to as faces. The grid 'user interface' is made up of four primary tables: the @vertices table

for the coordinates of the vertices, the `faceCenters` for the coordinates of the centers of faces, the `faces` and the `edges` tables that contain which vertices form which faces and edges respectively. In these tables, the faces and vertices are sorted to form spirals that go from the north pole in a counter-clockwise direction. In case grid subsetting is performed these tables get truncated.

At finer resolutions, the large number of spatial elements render all calculations resource demanding and slow, therefore the hierarchical structure created during the tessellation procedure is retained for efficient implementation. These data are stored in a list in the slot `@skeleton` and are 0-indexed integer tables for Rcpp-based functions. `$v` stores vertex, `$f` the edge, and `$e` contains the edge data for plotting and calculations. In these tables the original hierarchy based orderings of the units are retained, during subsetting, additional vectors are used to indicate deactivation of these units. Any sort of meddling with the `@skeleton` object will lead to unexpected behavior.

Value

A triangular grid object, with class `trigrd`.

Slots

`vertices` Matrix of the vertex XYZ coordinates.

`faces` Matrix of the vertices forming the faces.

`edges` Matrix of the vertices forming the edges.

`tessellation` Contains the tessellation vector.

`orientation` Contains the grid orientation in xyz 3d space, values in radian relative to the (0,1,0) direction.

`center` is the xyz coordinates of the grids origin/center.

`div` vector contains the number of faces that a single face of the previous tessellation level is decomposed to.

`faceCenters` contains the xyz coordinates of the centers of the faces on the surface of the sphere.

`belts` Vector of integers indicating the belt the face belongs to.

`edgeLength` the length of an average edge in km and degrees.

`graph` an 'igraph' class graph object.

`length` integer vector of length=3. The number of vertices, edges and faces in this order.

`proj4string` a CRS class object indicating the model in the PROJ.4 system

`r` the radius of the grid

`sp` The SpatialPolygons representation of the grid. If missing, it can be created with `newsp()`.

`skeleton` data tables with sequential indexing for the C functions.

Examples

```
# single tessellation value
g <- trigrd(c(8))
g
# series of tessellations
g1 <- trigrd(c(2,3,4))
g1
```

`trishape`*Shape distortions of the triangular faces and subfaces*

Description

This function will return a value that is proportional to the irregularity of a triangular face or sub-face. The ratio of the lengths of the shortest and the longest edges.

Usage

```
trishape(gridObj)

## S4 method for signature 'trigrd'
trishape(gridObj)

## S4 method for signature 'hexagrid'
trishape(gridObj)
```

Arguments

`gridObj` ([trigrd](#), [hexagrid](#)) Object.

Details

The value is exactly 1 for an equilateral triangle, and becomes 0 as one of the edges approach 0.

Value

A named numeric vector, one value for every face of the grid.

Examples

```
g <- trigrd(3)
shape <- trishape(g)
```

`values`*Extract and replace values from a gridlayer-derived object (e.g. link{facelayer}).*

Description

The function will get the @values slot of a [facelayer](#) object.

Usage

```

values(x,...)

## S4 method for signature 'gridlayer'
values(x)

values(x) <- value

## S4 replacement method for signature 'gridlayer'
values(x) <- value

```

Arguments

x (facelayer) Object.

value (logical, character or numeric) Replacement values.

... Arguments passed to class-specific methods. (Not used.)

Format

An object of class standardGeneric of length 1.

An object of class standardGeneric of length 1.

vertices	<i>The vertices of an icosahedral grid object</i>
----------	---

Description

Shorthand function to return the vertices slot of an icosahedral grid or a grid linked to a facelayer.

Usage

```

vertices(x, ...)

## S4 method for signature 'trigrigrid'
vertices(x, output = "polar")

## S4 method for signature 'facelayer'
vertices(x, output = "polar")

```

Arguments

x (trigrigrid, hexagrid or facelayer) The icosahedral grid, or linked data object.

... Additional arguments passed to class-specific methods.

output (character) The coordinate system of output.

Examples

```
a <- trigrid(1)
vertices(a)
```

vicinity

The neighbouring faces of faces in an icosahedral grid

Description

This function will return neighbouring faces of the input faces.

Usage

```
vicinity(gridObj, faces, ...)

## S4 method for signature 'trigrid,character'
vicinity(
  gridObj,
  faces,
  order = 1,
  output = "vector",
  self = TRUE,
  namedorder = FALSE,
  ...
)
```

Arguments

gridObj	(trigrid or hexagrid) Icosahedral grid object.
faces	(character) A vector specifying names of faces.
...	Arguments passed to the ego function.
order	(numeric) Passed to the ego function, an integer value specifying the size of the neighborhood around a face.
output	(character) The type of the output. The default "vector" will give back the names of the faces that adjacent to the faces specified, including themselves. "list" will return a list.
self	(logical) Flag indicating whether the input faces should be in the output. For the "list" output option, the input face names will be omitted only from those character vectors that contain face names that are related to the face in question.
namedorder	(logical) Should the orders of the neighbouring cells be reported (TRUE) or just the names of the cells (default, FALSE).

Value

A character vector or a list of character vectors.

Examples

```
g <- trigrd(3)
ne <- vicinity(g, c("F4", "F10"))
ne
```

```
[,gridlayer,ANY,missing-method
```

Extraction from a gridlayer using indices

Description

Shorthand to the [subset](#) function.

Function to replace specific elements in a gridlayer object

Usage

```
## S4 method for signature 'gridlayer,ANY,missing'
x[i]

## S4 method for signature 'gridlayer,Extent,missing'
x[i]

## S4 replacement method for signature 'gridlayer,ANY,ANY'
x[i] <- value
```

Arguments

x	(facelayer) The object to be subsetted.
i	(logical, numeric nor extent) The subscript vector, or extent, specifying the faces that are used for subsetting. As in subset .
value	The replacement values.

Details

All these methods are implementing direct replacement in the @values slot of a layer, depending on criteria used for subsetting.

Value

The extraction methods return [facelayer](#)-class objects.

Index

* datasets

- lines3d, 21
- plot, 27
- plot3d, 28
- resample, 31
- rotate, 33
- subset, 36
- tessguide, 39
- values, 43

[, gridlayer, ANY, missing-method, 46

[, gridlayer, Extent, missing-method
([, gridlayer, ANY, missing-method),
46

[, trigrid, ANY, ANY-method (subset), 36

[<-, gridlayer, ANY, ANY-method
([, gridlayer, ANY, missing-method),
46

[<-, gridlayer-method
([, gridlayer, ANY, missing-method),
46

arcdist, 3

arcdistmat, 4

arcpoints, 5

CarToPol, 6

CarToPol, data.frame-method (CarToPol), 6

CarToPol, matrix-method (CarToPol), 6

CarToPol, numeric-method (CarToPol), 6

cellocator, 7

centers, 7

centers, facelayer-method (centers), 7

centers, trigrid-method (centers), 7

chull, 9

chullsphere, 8

colorRamp, 27

colorRampPalette, 12

CRS, 14, 20, 27

cut, 12, 28

edgelenlength, 9

edgelenlength, trigrid-method (edgelenlength),
9

edges, 10

edges, facelayer-method (edges), 10

edges, obj3d-method (edges), 10

ego, 45

facelayer, 8, 10–13, 18, 20, 21, 23–27, 29,
31, 32, 36, 43, 44, 46

facelayer (facelayer-class), 11

facelayer-class, 11

faces, 11

faces, gridlayer-method (faces), 11

faces, trigrid-method (faces), 11

faces3d, 12, 29

faces3d, facelayer-method (faces3d), 12

faces3d, hexagrid-method (faces3d), 12

faces3d, trigrid-method (faces3d), 12

graph, 13

gridgraph, 13, 24

gridgraph, facelayer-method (gridgraph),
13

gridgraph, hexagrid-method (gridgraph),
13

gridgraph, trigrid-method (gridgraph), 13

gridlabs, 14

gridlabs3d, 14

gridlabs3d, hexagrid-method
(gridlabs3d), 14

gridlabs3d, trigrid-method (gridlabs3d),
14

guides3d, 15

heat.colors, 12

heatMapLegend, 12, 16

hexagrid, 7, 8, 10–15, 20, 21, 24–27, 29,
31–37, 39, 40, 43–45

hexagrid (hexagrid-class), 18

- hexagrid-class, 18
- icosa, 19, 32
- igraph, 18
- length, gridlayer-method
(length, trigrid-method), 20
- length, trigrid-method, 20
- lines, trigrid-method, 20
- lines3d, 16, 21
- lines3d, Line-method (lines3d), 21
- lines3d, Lines-method (lines3d), 21
- lines3d, Polygon-method (lines3d), 21
- lines3d, Polygons-method (lines3d), 21
- lines3d, SpatialLines-method (lines3d), 21
- lines3d, SpatialLinesDataFrame-method (lines3d), 21
- lines3d, SpatialPolygons-method (lines3d), 21
- lines3d, SpatialPolygonsDataFrame-method (lines3d), 21
- lines3d, trigrid-method (lines3d), 21
- locate, 22
- locate, hexagrid, matrix-method (locate), 22
- locate, trigrid, data.frame-method (locate), 22
- locate, trigrid, matrix-method (locate), 22
- locate, trigrid, numeric-method (locate), 22
- locate, trigrid, SpatialPoints-method (locate), 22
- locate, trigrid, SpatialPointsDataFrame-method (locate), 22
- locator, 7
- names, gridlayer-method, 23
- newgraph, 24
- newgraph, trigrid-method (newgraph), 24
- newsp, 18, 25
- newsp, trigrid-method (newsp), 25
- occupied, 25
- orientation, 26
- orientation, trigrid-method (orientation), 26
- orientation<- (orientation), 26
- orientation<- , trigrid-method (orientation), 26
- par3d, 28, 29
- plot, 16, 17, 27
- plot, facelayer, ANY-method (plot), 27
- plot, trigrid, ANY-method (plot), 27
- plot3d, 12, 21, 28, 29
- PolToCar, 29
- PolToCar, data.frame-method (PolToCar), 29
- PolToCar, matrix-method (PolToCar), 29
- PolToCar, numeric-method (PolToCar), 29
- pos, 31
- RasterLayer, 32
- resample, 31, 32
- resample, facelayer, trigrid-method (resample), 31
- resample, Raster, trigrid-method (resample), 31
- rotate, 26, 33
- rotate, trigrid-method (rotate), 33
- rpsphere, 33
- segments3d, 16
- sp.lines, 20
- SpatialLines, 34, 35
- SpatialPoints, 23
- SpatialPointsDataFrame, 23
- SpatialPolygons, 18, 20, 25, 27, 35, 41
- SpLines, 34
- SpLines, trigrid-method (SpLines), 34
- SpPolygons, 18, 25, 35
- SpPolygons, hexagrid-method (SpPolygons), 35
- SpPolygons, trigrid-method (SpPolygons), 35
- str, 18, 41
- subset, 36, 36, 46
- subset, gridlayer-method (subset), 36
- subset, hexagrid-method (subset), 36
- subset, trigrid-method (subset), 36
- surfacearea, 37
- surfacearea, hexagrid-method (surfacearea), 37
- surfacearea, trigrid-method (surfacearea), 37
- surfacecentroid, 9, 38

surfacecentroid,data.frame-method
 (surfacecentroid), 38
surfacecentroid,matrix-method
 (surfacecentroid), 38
surfacecentroid,SpatialPoints-method
 (surfacecentroid), 38

tessguide, 39
text, 14
text3d, 15, 16
translate, 40
translate,hexagrid,numeric-method
 (translate), 40
translate,trigrid,numeric-method
 (translate), 40
trigrid, 7, 8, 10–15, 20, 21, 24–27, 29,
 31–37, 40, 43–45
trigrid(trigrid-class), 41
trigrid-class, 41
trishape, 43
trishape,hexagrid-method(trishape), 43
trishape,trigrid-method(trishape), 43

values, 43
values,gridlayer-method(values), 43
values<- (values), 43
values<- ,gridlayer-method(values), 43
vertices, 44
vertices,facelayer-method(vertices), 44
vertices,trigrid-method(vertices), 44
vicinity, 45
vicinity,trigrid,character-method
 (vicinity), 45

x11, 27