

Package ‘profvis’

May 14, 2019

Title Interactive Visualizations for Profiling R Code

Version 0.3.6

Description Interactive visualizations for profiling R code.

Depends R (>= 3.0)

Imports htmlwidgets (>= 0.3.2), stringr

License GPL-3 | file LICENSE

Suggests knitr, ggplot2, rmarkdown, testthat, devtools, shiny,
htmltools

RoxygenNote 6.1.1

URL <https://rstudio.github.io/profvis/>

Encoding UTF-8

NeedsCompilation yes

Author Winston Chang [aut, cre],
Javier Luraschi [aut],
Timothy Mastny [aut],
RStudio [cph],
jQuery Foundation [cph] (jQuery library),
jQuery contributors [ctb, cph] (jQuery library; authors listed in
inst/www/shared/jquery-AUTHORS.txt),
Mike Bostock [ctb, cph] (D3 library),
D3 contributors [ctb] (D3 library),
Ivan Sagalaev [ctb, cph] (highlight.js library)

Maintainer Winston Chang <winston@rstudio.com>

Repository CRAN

Date/Publication 2019-05-14 14:20:03 UTC

R topics documented:

parse_rprof	2
pause	2
print.profvis	3

profvis	3
profvisOutput	5
profvis_ui	5
renderProfvis	6

Index	7
--------------	----------

parse_rprof	<i>Parse Rprof output file for use with profvis</i>
-------------	---

Description

Parse Rprof output file for use with profvis

Usage

```
parse_rprof(path = "Rprof.out", expr_source = NULL)
```

Arguments

path	Path to the Rprof output file.
expr_source	If any source refs in the profiling output have an empty filename, that means they refer to code executed at the R console. This code can be captured and passed (as a string) as the expr_source argument.

pause	<i>Pause an R process</i>
-------	---------------------------

Description

This function pauses an R process for some amount of time. It differs from [Sys.sleep](#) in that time spent in pause will show up in profiler data. Another difference is that pause uses up 100 whereas Sys.sleep does not.

Usage

```
pause(seconds)
```

Arguments

seconds	Number of seconds to pause.
---------	-----------------------------

Examples

```
# Wait for 0.5 seconds
pause(0.5)
```

print.profvis	<i>Print a profvis object</i>
---------------	-------------------------------

Description

Print a profvis object

Usage

```
## S3 method for class 'profvis'
print(x, ..., width = NULL, height = NULL,
      split = NULL)
```

Arguments

x	The object to print.
...	Further arguments to passed on to other print methods.
width	Width of the htmlwidget.
height	Height of the htmlwidget
split	Direction of split. Either "v" (the default) for vertical, or "h" for horizontal. This is the orientation of the split bar.

profvis	<i>Profile an R expression and visualize profiling data</i>
---------	---

Description

This function will run an R expression with profiling, and then return an htmlwidget for interactively exploring the profiling data.

Usage

```
profvis(expr = NULL, interval = 0.01, prof_output = NULL,
        prof_input = NULL, width = NULL, height = NULL, split = c("h",
        "v"), torture = 0)
```

Arguments

expr	Code to profile. Not compatible with prof_input.
interval	Interval for profiling samples, in seconds. Values less than 0.005 (5 ms) will probably not result in accurate timings
prof_output	Name of an Rprof output file or directory in which to save profiling data. If NULL (the default), a temporary file will be used and automatically removed when the function exits. For a directory, a random filename is used.

prof_input	The path to an Rprof data file. Not compatible with <code>expr</code> or <code>prof_output</code> .
width	Width of the htmlwidget.
height	Height of the htmlwidget
split	Direction of split. Either "v" (the default) for vertical, or "h" for horizontal. This is the orientation of the split bar.
torture	Triggers garbage collection after every <code>torture</code> memory allocation call. Note that memory allocation is only approximate due to the nature of the sampling profiler and garbage collection: when garbage collection triggers, memory allocations will be attributed to different lines of code. Using <code>torture = steps</code> helps prevent this, by making R trigger garbage collection after every <code>torture</code> memory allocation step.

Details

An alternate way to use `profvis` is to separately capture the profiling data to a file using `Rprof()`, and then pass the path to the corresponding data file as the `prof_input` argument to `profvis()`.

See Also

[print.profvis](#) for printing options.

[Rprof](#) for more information about how the profiling data is collected.

Examples

```
# Only run these examples in interactive R sessions
if (interactive()) {

# Profile some code
profvis({
  dat <- data.frame(
    x = rnorm(5e4),
    y = rnorm(5e4)
  )

  plot(x ~ y, data = dat)
  m <- lm(x ~ y, data = dat)
  abline(m, col = "red")
})

# Save a profile to an HTML file
p <- profvis({
  dat <- data.frame(
    x = rnorm(5e4),
    y = rnorm(5e4)
  )

  plot(x ~ y, data = dat)
  m <- lm(x ~ y, data = dat)
  abline(m, col = "red")
})
}
```

```

  })
  htmlwidgets::saveWidget(p, "profile.html")

  # Can open in browser from R
  browseURL("profile.html")

}

```

profvisOutput	<i>Widget output function for use in Shiny</i>
---------------	--

Description

Widget output function for use in Shiny

Usage

```
profvisOutput(outputId, width = "100%", height = "600px")
```

Arguments

outputId	Output variable for profile visualization.
width	Width of the htmlwidget.
height	Height of the htmlwidget

profvis_ui	<i>Profvis UI for Shiny Apps</i>
------------	----------------------------------

Description

Use this Shiny module to inject Profvis controls into your Shiny app. The Profvis Shiny module injects UI that can be used to start and stop profiling, and either view the results in the Profvis UI or download the raw .Rprof data. It is highly recommended that this be used for testing and debugging only, and not included in production apps!

Usage

```

profvis_ui(id)

profvis_server(input, output, session, dir = ".")

```

Arguments

id	Output id from profvis_server.
input, output, session	Arguments provided by callModule .
dir	Output directory to save Rprof files.

Details

The usual way to use Profvis with Shiny is to simply call `profvis(shiny::runApp())`, but this may not always be possible or desirable: first, if you only want to profile a particular interaction in the Shiny app and not capture all the calculations involved in starting up the app and getting it into the correct state; and second, if you're trying to profile an application that's been deployed to a server.

For more details on how to invoke Shiny modules, see [\[this article\]\(https://shiny.rstudio.com/articles/modules.html\)](https://shiny.rstudio.com/articles/modules.html).

Examples

```
# In order to avoid "Hit <Return> to see next plot" prompts,
# run this example with `example(profvis_ui, ask=FALSE)`

if(interactive()) {
  library(shiny)
  library(ggplot2)
  shinyApp(
    fluidPage(
      plotOutput("plot"),
      actionButton("new", "New plot"),
      profvis_ui("profiler")
    ),
    function(input, output, session) {
      callModule(profvis_server, "profiler")

      output$plot <- renderPlot({
        input$new
        ggplot(diamonds, aes(carat, price)) + geom_point()
      })
    }
  )
}
```

renderProfvis

Widget render function for use in Shiny

Description

Widget render function for use in Shiny

Usage

```
renderProfvis(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

<code>expr</code>	An expression that returns a profvis object.
<code>env</code>	The environment in which to evaluate <code>expr</code> .
<code>quoted</code>	Is <code>expr</code> a quoted expression (with <code>quote()</code>)?

Index

`callModule`, 5

`parse_rprof`, 2

`pause`, 2

`print.profvis`, 3, 4

`profvis`, 3

`profvis_server (profvis_ui)`, 5

`profvis_ui`, 5

`profvisOutput`, 5

`quote`, 6

`renderProfvis`, 6

`Rprof`, 2, 4

`Sys.sleep`, 2