

Package ‘sassy’

October 14, 2022

Type Package

Title Makes 'R' Easier for Everyone

Version 1.0.8

Author David J. Bosak

Maintainer David Bosak <dbosak01@gmail.com>

Description A meta-package that aims to make 'R' easier for everyone, especially programmers who have a background in 'SAS®' software. This set of packages brings many useful concepts to 'R', including data libraries, data dictionaries, formats and format catalogs, a data step, and a traceable log. The 'flagship' package is a reporting package that can output in text, rich text, 'PDF' and 'HTML' file formats.

License CC BY-NC 4.0

Encoding UTF-8

Depends R (>= 3.6.0)

URL <https://r-sassy.org>

BugReports <https://github.com/dbosak01/sassy/issues>

Suggests testthat, knitr, rmarkdown, tidylog, magrittr, covr

Imports common, logr, fmtr, libr, reporter

RoxygenNote 7.2.0

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2022-08-10 18:20:02 UTC

R topics documented:

sassy	2
Index	4

Description

The **sassy** package is a meta-package that installs a set of functions that aim to make R easier for everyone, especially programmers whose primary experience is with SAS® software. These functions provide the ability to create data libraries, format catalogs, data dictionaries, a traceable log, and includes reporting capabilities reminiscent of those found in SAS®. These packages were written independently, and the authors have no association with, approval of, or endorsement by SAS® Institute.

Packages Included

The packages included in the **sassy** meta-package are as follows:

- **libr**: Define a libname, view data dictionaries, and simulate a data step.
- **fmtr**: Create a format catalog and apply formats to a data frame or vector.
- **logr**: Generate a traceable log.
- **reporter**: Write reports and output in text, RTF, and PDF.
- **common**: A set of utility functions shared across the **sassy** family of packages.

Examples

```
#####
#####          Example: Simple Data Listing          #####
#####
library(sassy)
library(magrittr)

options("logr.notes" = FALSE)

# Get path to temp directory
tmp <- tempdir()

# Get path to sample data
pkg <- system.file("extdata", package = "sassy")

# Open log
lgpth <- log_open(file.path(tmp, "example1.log"))

sep("Get Data")

# Define data library
libname(sdtm, pkg, "csv") %>% put()

# Load library into workspace
lib_load(sdtm)
```

```
sep("Write Report")

# Define table object
tbl <- create_table(sdtm.DM) %>%
  define(USUBJID, id_var = TRUE)

# Construct report path
pth <- file.path(tmp, "output/l_dm.rtf") %>% put()

# Define report object
rpt <- create_report(pth, output_type = "RTF", font = "Courier") %>%
  page_header("Sponsor: Company", "Study: ABC") %>%
  titles("Listing 1.0", "SDTM Demographics") %>%
  add_content(tbl, align = "left") %>%
  page_footer(Sys.time(), "CONFIDENTIAL", "Page [pg] of [tpg]")

# Write report to file system
write_report(rpt) %>% put()

# Unload data
lib_unload(sdtm)

# Close log
log_close()

# Print log to console
writeLines(readLines(lgpth, encoding = "UTF-8"))

# View report
# file.show(pth)

# View log
# file.show(lgpth)
```

Index

[fmtr](#), 2

[libr](#), 2

[logr](#), 2

[reporter](#), 2

[sassy](#), 2