

Package ‘slideview’

March 6, 2019

Type Package

Title Compare Raster Images Side by Side with a Slider

Version 0.1.0

Date 2019-02-11

Maintainer Tim Appelhans <tim.appelhans@gmail.com>

Description Create a side-by-side view of raster(image)s with an interactive slider to switch between regions of the images. This can be especially useful for image comparison of the same region at different time stamps.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 2.10), methods

Imports htmltools, htmlwidgets, lattice, raster, viridisLite

Suggests jpeg

LazyData true

RoxygenNote 6.1.0

NeedsCompilation no

Author Tim Appelhans [cre, aut],
Stefan Woellauer [aut]

Repository CRAN

Date/Publication 2019-03-06 15:00:03 UTC

R topics documented:

slideView	2
Index	5

 slideView

slideView

Description

Two images are overlaid and a slider is provided to interactively compare the two images in a before-after like fashion. `img1` and `img2` can either be two `RasterLayers`, two `RasterBricks/Stacks` or two character strings. In the latter case it is assumed that these point to `.png` images on the disk.

NOTE: In case you want to include multiple slideviews in one page in a Rmd or flexdashboard we highly recommend using package `widgetframe`. Also, make sure to use different image names and/or labels for each of the `RasterLayers/Bricks/Stacks`. Otherwise things will likely not work properly.

This is a modified implementation of <http://bl.ocks.org/rfriberg/8327361>

Usage

```
## S4 method for signature 'RasterStackBrick,RasterStackBrick'
slideView(img1, img2,
  label1 = deparse(substitute(img1, env = parent.frame())),
  label2 = deparse(substitute(img2, env = parent.frame())), r = 3,
  g = 2, b = 1, na.color = "#BEBEBE", maxpixels = 1e+07, ...)
```

```
## S4 method for signature 'RasterLayer,RasterLayer'
slideView(img1, img2,
  label1 = deparse(substitute(img1, env = parent.frame())),
  label2 = deparse(substitute(img2, env = parent.frame())),
  legend = TRUE, col.regions = viridisLite::inferno(256),
  na.color = "#BEBEBE", maxpixels = 1e+07)
```

```
## S4 method for signature 'RasterStackBrick,RasterLayer'
slideView(img1, img2,
  label1 = deparse(substitute(img1, env = parent.frame())),
  label2 = deparse(substitute(img2, env = parent.frame())),
  legend = TRUE, r = 3, g = 2, b = 1,
  col.regions = viridisLite::inferno(256), na.color = "#BEBEBE",
  maxpixels = 1e+07, ...)
```

```
## S4 method for signature 'RasterLayer,RasterStackBrick'
slideView(img1, img2,
  label1 = deparse(substitute(img1, env = parent.frame())),
  label2 = deparse(substitute(img2, env = parent.frame())),
  legend = TRUE, r = 3, g = 2, b = 1,
  col.regions = viridisLite::inferno(256), na.color = "#BEBEBE",
  maxpixels = 1e+07, ...)
```

```
## S4 method for signature 'character,character'
```

```

slideView(img1, img2,
  label1 = deparse(substitute(img1, env = parent.frame()))),
  label2 = deparse(substitute(img2, env = parent.frame())))

## S4 method for signature 'ANY'
slideview(...)

```

Arguments

img1	a RasterStack/Brick, RasterLayer or path to a .png file
img2	a RasterStack/Brick, RasterLayer or path to a .png file
label1	slider label for img1 (defaults to object name)
label2	slider label for img2 (defaults to object name)
r	integer. Index of the Red channel, between 1 and nlayers(x)
g	integer. Index of the Green channel, between 1 and nlayers(x)
b	integer. Index of the Blue channel, between 1 and nlayers(x)
na.color	the color to be used for NA pixels
maxpixels	integer > 0. Maximum number of cells to use for the plot. If maxpixels < ncell(x), sampleRegular is used before plotting.
...	additional arguments passed on to respective functions.
legend	whether to plot legends for the two images (ignored for RasterStacks/*Bricks).
col.regions	color (palette). See levelplot for details.
color	the color palette to be used for visualising RasterLayers

Details

Compare two images through interactive swiping overlay

For slideView there are a few keyboard shortcuts defined:

- space - toggle antialiasing
- esc - zoom to layer extent
- enter - set zoom to 1
- ctrl - increase panning speed by 10

Methods (by class)

- img1 = RasterLayer, img2 = RasterLayer: for RasterLayers
- img1 = RasterStackBrick, img2 = RasterLayer: for RasterStackBrick, RasterLayer
- img1 = RasterLayer, img2 = RasterStackBrick: for RasterLayer, RasterStackBrick
- img1 = character, img2 = character: for png files
- ANY: alias for ease of typing

Author(s)

Tim Appelhans
Stephan Woellauer

Examples

```
if (interactive()) {  
  ### example taken from  
  ### http://www.news.com.au/technology/environment/nasa-images-reveal-  
  ### aral-sea-is-shrinking-before-our-eyes/story-e6frflp0-1227074133835  
  
  library(jpeg)  
  library(raster)  
  
  web_img2000 <- "http://cdn.newsapi.com.au/image/v1/68565a36c0fccb1bc43c09d96e8fb029"  
  
  jpg2000 <- readJPEG(readBin(web_img2000, "raw", 1e6))  
  
  # Convert imagedata to raster  
  rst_blue2000 <- raster(jpg2000[, , 1])  
  rst_green2000 <- raster(jpg2000[, , 2])  
  rst_red2000 <- raster(jpg2000[, , 3])  
  
  img2000 <- brick(rst_red2000, rst_green2000, rst_blue2000)  
  
  web_img2013 <- "http://cdn.newsapi.com.au/image/v1/5707499d769db4b8ec76e8df61933f2a"  
  
  jpg2013 <- readJPEG(readBin(web_img2013, "raw", 1e6))  
  
  # Convert imagedata to raster  
  rst_blue2013 <- raster(jpg2013[, , 1])  
  rst_green2013 <- raster(jpg2013[, , 2])  
  rst_red2013 <- raster(jpg2013[, , 3])  
  
  img2013 <- brick(rst_red2013, rst_green2013, rst_blue2013)  
  
  slideView(img2000, img2013, label1 = "before", label2 = "after")  
}
```

Index

levelplot, 3

slideView, 2

slideview (slideView), 2

slideview, ANY-method (slideView), 2

slideView, character, character-method
(slideView), 2

slideView, RasterLayer, RasterLayer-method
(slideView), 2

slideView, RasterLayer, RasterStackBrick-method
(slideView), 2

slideView, RasterStackBrick, RasterLayer-method
(slideView), 2

slideView, RasterStackBrick, RasterStackBrick-method
(slideView), 2